




BEST Price List

PL71 | Effective May 3, 2021

Mechanical & Electronic Locks; Keys & Cores;
Access Control; Door Closers



BEST: Setting the Standard for Security



NOTE: Please contact us for price information on specialty items or options not shown in this price list.
dormakaba USA Inc. reserves the right to make changes in designs and specifications or to make additions or improvements to its products without notice and without incurring any obligation to incorporate them on products previously manufactured.

Contents

Sales Policies	5
Warranty	7
BEST Patented Product Ordering & License	9
Architectural Finishes	13
BEST Standard & Premium Keys	14
BEST Peaks® Keys	15
BEST Preferred Patented Keys	16
BEST CORMAX™ Patented Keys	17
B Series Padlocks	18
BEST Standard & Premium Cores	20
BEST Peaks® Cores	21
BEST Preferred Patented Cores	22
BEST CORMAX™ Patented Cores	23
D Series Service Equipment	24
KRD Series Key Retaining Devices	26
QU-IC-System Combining Tool Packages	27
E Series Cylinders	28
5E and 8E Series Utility Cylinders (Cam Locks)	30
Keystone® Web	31
45H Series Mortise Locks	32
47H Series High Security Mortise Lock	34
48H and 49H Series Mortise Deadlocks	35
40H Series Mortise Components	36
40H Strike Packages	37
40H Lever Sets	37
40H Replacement Spindles	38
40H Screw Kits	38
40H Faceplate Kits	38
40H Visual Indicator Thumb-Turn Kit	39
40H Indicator Laminate Kit	39
J Series Semi-Trailer Kingpin Locks	40
6K Series Grade 2 Cylindrical Locks - Knobs	41
7KC Series Grade 2 Cylindrical Locks - Levers	42
8K Series Grade 1 Cylindrical Locks - Knobs	43
9K Series Grade 1 Cylindrical Locks - Levers	45
AK Series Knob Adaptations (formerly KA series)	47
L Series Cabinet Locks	48
P Series Push Locks	49
S Series Sliding Door Locks	50
SPSL – Secure Patient Safety Lever	51
SSRL - Secure Seclusion Room/Time Out Room Locks	53
SEDA – Secure Emergency Door Alarm	54
T Series Tubular Deadbolts	55
W Series Electric Switch Locks	56
45HW Series Electromechanical Mortise Locks	57
47HW Series High Security Electromechanical Mortise Locks	58
8KW/9KW Series Electromechanical Cylindrical Locks	59

Electromechanical Lock Accessories	60
45HX Shelter Mortise Locks	61
9KX SHELTER Cylindrical Locks	62
Electric Strikes	63
Electric Strike Accessories	63
Electromagnetic Locks	64
Electromagnetic Lock Accessories	64
45HZ Keypad EZ Mortise Locks	65
9KZ Keypad EZ Cylindrical Locks	66
EXZ Keypad EZ Exit Trim	67
45HG Offline G Series Mortise Locks	68
9KG Offline G Series Cylindrical Locks	69
EXG Offline G Series Exit Trim	70
45HBV Offline V Series Mortise Locks	71
9KBV Offline V Series Cylindrical Locks	72
EXBV Offline V Series Exit Trim	74
45HM IDH MAX™ Mortise Locks	75
9KM IDH MAX™ Cylindrical Locks	77
Electronic Lock Software & Accessories	78
BEST 45HQ Wireless Mortise Locks with Wi-Q™ Technology	79
BEST 9KQ Wireless Cylindrical Locks with Wi-Q™ Technology	81
BEST EXQ Wireless Exit Trim with Wi-Q™ Technology	82
BEST Wi-Q™ Technology Wireless Access Management Software & Accessories	83
BEST Wireless Conversion Kits with Wi-Q™ Technology	84
STANLEY ID Express Station™	85
Electronic Lock Inside Escutcheon Conversion Kits	86
45HOM OMNILOCK Wireless Mortise Locks	87
Wireless 9KOM OMNILOCK Wireless Cylindrical Locks	88
Wireless OMEM OMNILOCK Electric Modules	89
Wireless OMWMS OMNILOCK Wall Mount Systems	90
Wireless OASOM Quick Adapter for Pre-2004 Cylindrical Schlage D Lever Locks	91
Wireless OAXOM OMNILOCK Wireless Quick Adapter for Exit Devices	92
Access Control System Parts and Accessories	93
Non-Best Chassis for OMEM	94
OMNILOCK Software	95
Wireless Components	95
HD8000	96
HD7000	99
SL6000	102
ED50LE/EDI00LE Low Energy Operators	105
Quoting & Ordering Policies	106
Returned Authorization (RA)	109
Return Policy and Fulfillment Issues	110
Forms	111

TERMS AND CONDITIONS OF SALE

Acceptance. The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgment form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

1. Order Procedure. Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. Quotations. All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

3. Site Requirements.

a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials [i.e. electrical work, floor work, adjacent construction]. When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.

b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

4. Warranty. For a period of twelve (12) months from the date of delivery, Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in this Price Book and will be free from defects in workmanship and materials. Extended warranties are available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to

investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

Disclaimer of Further Warranties. Except as set forth above, there is no warranty, representation, or condition of any kind, express or implied (including no warranty of merchantability or fitness of the products for any use contemplated by Buyer) concerning Seller's products or services and none shall be implied by law. 5. Limitation of Liability and Remedies. Seller shall not be liable, and Buyer waives all claims against Seller for any incidental, consequential, or special damages, including without limitation, lost revenues and profits even if Seller has been advised of the possibility of such damages. Buyer's exclusive remedy for any cause of action under these Terms and Conditions is a claim for damages and in no event will damages or any other recovery of any kind against Seller exceed the purchase price of the specific products or services as to which the claim is made. Seller will not be liable to Buyer for any loss, damage, or injury to persons or property resulting from the handling, storage, transportation, resale, or use of the products in manufacturing processes, or in combination with other substances, or otherwise.

6. Intellectual Property Indemnification. (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable

to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

7. Ownership of Inventions. All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. Lead Times. If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate

TERMS AND CONDITIONS OF SALE (continued)

packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, dormakaba will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. Title/Risk of Loss. All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. Prices. Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. Payments. Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 1.5% per month (18% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account, work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. Cancellation. In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 20% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. Storage. If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. Insolvency. Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. Force Majeure. Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. Ownership of Equipment. Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. Confidential Information. All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. Waiver. No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or further exercise thereof or the exercise of any other right, remedy, power or privilege.

19. Assignment. No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.

20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

LIMITED WARRANTY

What is Covered: dormakaba USA Inc. ("dormakaba USA") warrants that the products manufactured by dormakaba USA, identified below, and sold under its trade names "BEST" are free of defects in materials and workmanship as outlined below. The sole and exclusive liability of dormakaba USA under this warranty is limited to the repair or replacement of any Product or component part covered by the warranty at the sole discretion of dormakaba USA.

Who is Covered: This warranty is extended only to the Seller's distributors of products and the end user who purchases Products for purposes other than resale (collectively, "Purchaser").

Hardware Warranty Period:

The following products warranty term shall be limited lifetime for a period of the useful life of the building in which the product is originally installed:

- 45H/47H Mechanical Mortise Lock
- 48H/49H Mortise Deadlock
- BML83 Series Electronic Strikes and Mags

The following products shall be warranted for ten (10) years from the date of sale:

- 9K Mechanical Cylindrical Lock

The following products shall be warranted for five (5) years from the date of sale:

- 45HW and 47HW Electromechanical Mortise Lock
- BES 2 Series Electronic Strikes and Mags
- BES 0162 Series Electronic Strikes and Mags
- BES 0163 Series Electronic Strikes and Mags

The following products shall be warranted for three (3) years from the date of sale:

- 8K Mechanical Cylindrical Lock
- 8K/9K Electro-mechanical Cylindrical Lock
- 9KZ Keypad EZ Cylindrical Lock
- 9KM IDH Max Cylindrical Lock
- 5K, 6K, and 7KC Cylindrical Locks
- 8T/7T Tubular Locks
- 1E, 5E, 8E Cylinders Locks
- 45HZ Keypad EZ Mortise Lock
- EXZ Keypad
- 45HM IDH Max Mortise Lock
- 1C, 2C, 3C, 5C, 6C Cores
- 1A Keys
- 1AM, 1AX Keys (CORMAX)
- AD433 Key Combinator & Equipment
- 11B, 21B, 41B family Padlocks
- 1W Switch Locks
- S Sliding Door Locks
- 45HG, 9KG, 45HBV, 9KBV Offline Locks
- 45HN, 9KN Electrified Locks
- 45HQ, 9KO and EXO locks using Wi-Q™ Technology
- AK Series Knob Adaptations
- 5L, 3L, 2P Cabinet Locks
- SPSL, SSRL, SEDA Secure Patient Safety Lever, Seclusion Room Locks, Emergency Door Alarms
- BES 4 Series Electronic Strikes and Mags
- BES 6 Series Electronic Strikes and Mags

The following products shall be warranted for one (1) year from the date of sale:

- 45HOM, 9KOM, OMEM, OMWMS, QASOM, QAXOM, Portal Gateways, Wireless Access Controllers, Antennas and other products using Wi-Q™ Technology not specifically mentioned
- 1CB, 1CK, 1AF Kaba Cores & Keys
- Portal Gateways, Wireless Access Controllers, Antennas and other products using Wi-Q™ Technology not specifically mentioned
- BMLDE Series Electronic Strikes and Mags built-in sounder components

Finishes shall be warranted for three (3) years from the date of sale excluding US10B/613 "Oil Rubbed Bronze" finish.

The following Surface Door Closers shall be warranted from the date of sale

30 years mechanical

- HD8000; HD7000; SL6000

2 years electrical

- EMF arm for HD8000 and HD7000

Wi-Q™ Technology and Offline Software:

- dormakaba USA warrants that all software shall be free from defects in materials and workmanship and will function in substantial accordance to the specifications for a period of one (1) year from the date of installation.
- Specific Limitations: This warranty does not cover any post-sales technical support under the following circumstances:
- Problems caused by misuse of software or hardware
- Failure to provide a network connection or site phone line for a modem connection, if deemed necessary by dormakaba USA
- Technical support for network software products
- Technical support for software installed on computer hardware or computer operating system that is no longer commercially available for purchase.

LIMITED WARRANTY (continued)

Warranty Claims: Any Products believed to be defective as covered by this warranty may not be returned without prior written Returned Materials Authorization (RMA) from dormakaba USA Product Support (855) 365-2407 covering specific items and quantities within thirty (30) days from the discovery of the alleged defect(s). dormakaba USA will inform the purchaser where to ship said Product(s), shipping charges prepaid by you, for examination. In the event such examination reveals a defect covered by this warranty, dormakaba USA will, at its sole option, repair or replace the Product, and return it or its replacement to the purchaser, with charges only for shipping.

Exclusions: This warranty specifically excludes, and dormakaba USA shall not be held responsible for the following:

- a) COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT.
- b) Damage caused by Product malfunction or failure attributable to acts of God.
- c) Improper use or installation.
- d) Poor or no maintenance.
- e) Work performed by someone other than an Authorized dormakaba USA technician.
- f) Failure to follow dormakaba USA's operating instructions or environmental specifications.
- g) Incorrect application, modification, vandalism, erosion or corrosion, shipping and/or handling, improper storage, accident, misuse, abuse or any other cause not within the control of dormakaba USA.
- h) This warranty is void if any modification is made to the warranted product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk and expense of the party making the modifications.
- i) dormakaba USA shall not be liable for any repairs, replacements, or adjustments to the product or any costs of labor performed by the Purchaser or others without dormakaba USA's prior written approval.
- j) dormakaba USA provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by dormakaba USA.
- k) The US10B/613 finish is considered to be a living finish that will change over time with use and age and is expressly excluded from this warranty. The finish changes that occur are indicative of normal wear and tear and reflect the essence of a living finish. The finish changes are not considered manufacturing defects and are not covered by this warranty.

Third Party Warranty: Except as otherwise provided above, dormakaba USA makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, dormakaba USA agrees to pass through any third-party warranty that dormakaba USA receives from the manufacturer of the Products to Purchaser. The extent of any third-party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.

LIMITATION OF WARRANTIES: THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTATIONS, OR WARRANTIES NOT SPECIFIED HEREIN.

dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

THIS WARRANTY IS GOVERNED BY THE LAW OF THE STATE OF INDIANA WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. dormakaba USA AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.

FOR WARRANTY ON THE SHELTER 9KX PRODUCTS AND ACCESSORIES, PLEASE SEE SEPARATE SHELTER 9KX SERIES PRODUCT AND ACCESSORIES WARRANTY AT WWW.BESTSHELTERLOCKDOWN.COM

BEST PATENTED PRODUCT ORDERING & LICENSE

SALE OF BEST PATENTED PRODUCT: In accordance with the [dormakaba USA Inc. \("dormakaba USA"\) Masterkey Code and Masterkey Service Policy](#), only Authorized Distributors meeting certain necessary qualifications and standards shall be selected by dormakaba USA to sell Best Patented Product. Selection shall be at the sole discretion of dormakaba USA and shall be evidenced in writing via the Distributor Agreement or its select addendums.

STOCKING OF BEST PATENTED PRODUCT: Furthermore, dormakaba USA may authorize only select Authorized Distributors to purchase and stock Best Patented Product and have access to [Best Patented Masterkey Codes by entering into a Best Patented Masterkey System Distributor Agreement Addendum](#) (the "Authorized Stocking Distributor"). As a condition to the Authorized Stocking Distributor's continued access to Best Patented Masterkey Codes, it must comply at all times with the Best Patented Key Systems Security Procedure.

SECURITY AUTHORIZATION FORM: It is a responsibility of the Authorized Distributor to ensure that Best Patented Product does not end up in the possession of unauthorized individuals or entities. The Authorized Distributor must ensure that the End User completes a Best Patented Masterkey System Security Authorization Form (the "[Security Authorization Form](#)"). The [Security Authorization Form](#) designates those individuals within the End User's organization that are authorized to place orders with the Authorized Distributor for Best Patented Product. The [Security Authorization Form](#) must be completed and signed by the End User.

It is the Authorized Distributor's full responsibility to validate the End User's signature as identified on the [Security Authorization Form](#) prior to accepting any orders for Best Patented Product.

In certain circumstances the Authorized Distributor selling and/or stocking the Best Patented Product will not contract directly with the End User. In these circumstances, the Authorized Distributor is required to work with its reseller to ultimately ensure that the End User submits a signed [Security Authorization Form](#) to dormakaba USA.

For those Distributors who have been authorized by dormakaba USA to stock Best Patented Product, it is their responsibility to ensure that they have a completed Security Authorization Form on file for each End User that places an order with the Authorized Stocking Distributor for Best Patented product and that the Authorized Stocking Distributor authenticates the signature of each Best Patented Product order utilizing the Security Authorization Form.

dormakaba USA shall have the right to audit all [Security Authorization Forms](#) maintained by the Authorized Distributors for completeness, accuracy and compliance with this Policy.

BEST CORMAX™ PATENTED KEYING SYSTEM-PATENT LICENSE:

1. The Best Cormax keying system being offered for sale under this price catalog is protected by valid and enforceable patents issued by the United States Patent and Trademark Office pursuant to United States Federal Law (including U.S. Patent Nos. 7,681,425 and 5,615,566 (also designated as US RE 39,364) (collectively, the " Best Patents"). The rights to the Best Patents belong to dormakaba USA Inc. ("dormakaba USA"). The Best Cormax keying system is comprised of two main components, a core and one or more keys. The combination of the Best Cormax core and key(s) is protected by the Best Patents. The Best Cormax keys, key blanks, and cores contain registered trademarks belonging to dormakaba USA. **dormakaba USA considers its patent and trademark rights to be valuable intellectual property assets that are important in protecting security and maintaining key control of its products. Accordingly, it is in dormakaba USA's best interest and, more importantly, it is in the best interest of its end users, that the Best Cormax system be managed in a manner that guards against unauthorized key duplication, which compromises the security of the Best Cormax system.** As a condition of purchase of a Best Cormax system from dormakaba USA or one of its authorized distributors, the following limitations on the express and implied contractual and intellectual property rights with respect to the Best Cormax system and the Best Patents shall apply:

- a. All Best Cormax systems shall be sold with a limited license to practice the Best Patents by combining and using (i) the Best Cormax core that is purchased with the Best Cormax system with (ii) the Best Cormax key(s) and/or key blanks(s) that are purchased with the Best Cormax system.
- b. This license is conditioned upon the purchase of a Best Cormax core and key (or core and key blank) combination only from dormakaba USA or one of its authorized distributors. Only dormakaba USA and its authorized distributors are authorized to sell the core and key(s)/blank(s) that comprise the Best Cormax system. All other sales of those items, individually or together, including either finished Best Cormax keys or unfinished key blanks suitable for finishing into Best Cormax keys, by any party other than dormakaba USA or one of its authorized distributors, for purposes of making the patented core and key combination, are not authorized sales and are excluded from this license.
- c. In the event that an end user sells a Best Cormax core, either standing alone or in connection with a sale of the structure or building in which it is installed, to a third party, the end user shall be required to notify the third-party purchaser of the terms and conditions and limitations of this license, which equally apply to the third party purchaser.

BEST PATENTED PRODUCT ORDERING & LICENSE (continued)

- d. dormakaba USA does not grant under the license, the right to sell any Best Cormax keys or key blanks to a third party, except in connection with a sale of the corresponding Best Cormax core in a manner that complies with the terms, conditions, and limitations of this license.
- e. Best Cormax keys and/or key blanks will be shipped by dormakaba USA or one of its authorized distributors directly and only to employees, as designated in the Security Authorization Form.
- f. In order to maintain the integrity of the Best Cormax system, the Best Cormax key or key blank should not be altered at any time to operate any core/cylinder for which such key or key blank was not originally intended.
- g. In the event that any of the procedures outlined herein are not strictly followed with respect to the handling of Best Cormax keys and key blanks, dormakaba USA may require following good faith discussions, the prompt return via UPS/AOD or equivalent, of all Best Cormax keys and/or blanks. Those items, in like new condition, shall be repurchased by dormakaba USA at the original sale price less a restocking fee.
- h. Should any terms of this license be found to be invalid, by operation of law or otherwise, all other provisions herein shall remain in full force and effect.

BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

I. DISTRIBUTOR MASTERKEY SERVICES

All dormakaba USA Inc. ("dormakaba USA") Authorized Distributors, Aftermarket Wholesalers, and Locksmiths ("Authorized Distributors") can create, modify or extend masterkey codes for the benefit of their end user customers ("End Users") for Best non-patented masterkey systems; provided, however, the services must be performed in line with industry standards. With the express written permission of dormakaba USA, select Authorized Distributors can create, modify or extend masterkey codes for the benefit of End Users for a Best Patented Masterkey System (pursuant to the terms and conditions of Section C below). Authorized Distributor's failure to comply with the terms of this policy could result in dormakaba USA's termination of its Distributor Agreement as well as dormakaba USA's pursuit of any remedies available at law.

A. END USER INFORMATION AND CODE RELEASE:

All masterkey codes (both patented and non-patented) previously generated by dormakaba USA are available for distribution to End Users (and/or their designated Authorized Distributor, if applicable) via the End User Web Portal at <http://masterkeycodeportal.bestaccess.com/Login.aspx>. For a hard copy of the End User Information and Code Release Form, please contact your dormakaba USA End User Consultant. End user codes will be distributed solely to those Authorized Distributors (a) identified by the End User on a fully executed End User Information and Code Release Form received by Best, and (b) for the release of Best Patented Masterkey Codes, the Authorized Distributor is authorized by dormakaba USA to receive and process Best Patented Masterkey Codes (as more fully described in Section C below.) No exceptions will be made to this policy.

B. BEST NON-PATENTED MASTERKEY SYSTEM

As of September 4, 2012, dormakaba USA no longer requires a Security Authorization Form to be signed by the End User prior to dormakaba USA and/or its Authorized Distributor accepting core and key orders for non-patented keying systems. All valid End User communications for orders related to non-patented keying systems will be fulfilled at the End User's liability.

C. BEST PATENTED MASTERKEY SYSTEM

The Best Patented Masterkey System provides a higher level of protection against unauthorized key duplication and crossovers and, in order to maintain the quality of a Best Patented Masterkey System, the following terms and conditions of this policy shall apply to any and all Authorized Distributors with access to Best Patented Masterkey Systems. For the purpose of this policy, "Best Patented Product" shall mean the Best Cormax (including cores and keys), as well as any and all future product dormakaba USA designates as patented product for the purpose of this policy. "Best Patented Masterkey Systems" and "Best Patented Masterkey Codes" shall mean the respective masterkey system or codes of any Best Patented Masterkey Product.

Sale of Best Patented Product: As further described in this Section C, only those Authorized Distributors meeting certain necessary qualifications and standards shall be selected by dormakaba USA to sell Best Patented Product. Selection shall be at the sole discretion of dormakaba USA and shall be evidenced in writing via the Distributor Agreement or its select addendums.

Best Patented Security Authorization Form: It is a responsibility of the Authorized Distributor to ensure that Best Patented Product does not end up in the possession of unauthorized individuals or entities. The Authorized Distributor must ensure that the End User completes a Best Patented Masterkey System Security Authorization Form (the "Security Authorization Form") as outlined in this Section C. The Security Authorization Form designates those individuals within the End User's organization that are authorized to place orders with the Authorized Distributor for Best Patented Product. The Security Authorization Form must be completed and signed by the End User.

It is the Authorized Distributor's full responsibility to validate the End User's signature as identified on the [Security Authorization Form](#) prior to accepting any orders for Best Patented Product.

In certain circumstances the Authorized Distributor selling the Best Patented Product will not contract directly with the End User. In these circumstances, the Authorized Distributor is required to work with its reseller to ultimately ensure that the End User submits a signed [Security Authorization Form](#) to dormakaba USA.

dormakaba USA shall have the right to audit all [Security Authorization Forms](#) maintained by the Authorized Distributors for completeness, accuracy and compliance with this Policy.

Sale of Combined Best Patented Product through Distributor: dormakaba USA may authorize select Authorized Distributor to purchase and resell to an End User Best Patented Product that has been combined by dormakaba USA Personnel. In this instance, a [Security Authorization Form](#) must be completed and signed by the End User and provided by the Authorized Distributor to dormakaba USA with each Best Patented Product order.

Stocking of Best Patented Product: dormakaba USA may authorize select Authorized Distributors to purchase and stock Best Patented Product and have access to Best Patented Masterkey Codes by entering into a [Best Patented Masterkey System Distributor Agreement Addendum](#) (the "Authorized Stocking Distributor") As a condition to the Authorized Stocking Distributor's continued access to Best Patented Masterkey Codes, it must comply at all times with the [Best Patented Key Systems Security Procedure](#). In addition, it is the responsibility of the Authorized Stocking Distributor to ensure that they have a completed [Security Authorization Form](#) on file for each End User that places an order with the Authorized Stocking Distributor for Best Patented product and that the Authorized Stocking Distributor authenticates the signature of each Best Patented Product order utilizing the [Security Authorization Form](#).

Best Patented Masterkey Code Generation: To assist in reducing the possibility of duplication within a keying system and ensure security, all Best Patented Masterkey Codes must be created, modified and/or extended by Best's masterkey personnel and/or an Authorized Stocking Distributor. The unauthorized duplication or release of Best Patented Masterkey Codes to non-authorized people or organizations, including, but not limited to, unauthorized distributors, wholesalers, private locksmiths, other lock manufacturers, architects, or contractors, is a violation of this policy as well as the infringement of patent rights and other intellectual property rights of dormakaba USA. In addition to any other recourse available under law, the unauthorized release of Best Patented Masterkey Codes by any Authorized Stocking Distributor shall result in immediate termination.

Best Patented Masterkey System Exclusive Keyways: Upon request from an End User to release Best Patented Masterkey Codes previously generated by dormakaba USA that are on an exclusive keyway, dormakaba USA will send a notification to the End User reminding them that their patented codes are on an exclusive keyway. dormakaba USA will provide a copy of this notice to the Authorized Stocking Distributor. To assist in reducing the possibility of duplication within an End User exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Should dormakaba USA approve an Authorized Stocking Distributor to establish a Best Patented Masterkey System on an exclusive keyway, the Authorized Stocking Distributor shall be required to sign a [Best Patented Masterkey System Exclusive Keyway Addendum](#). To assist in reducing the possibility of duplication within a Distributor exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

STANLEY MASTERKEY CODE AND MASTERKEY SERVICE POLICY (continued)

Copies of Best Patented Masterkey Codes: dormakaba USA shall have a right to a copy of all Best Patented Masterkey Codes that have been originated, modified, extended or otherwise maintained by the Authorized Stocking Distributor in the dormakaba USA BESTCode system in order for dormakaba USA to be able to provide continued support either directly, or indirectly, to the End User.

II. BEST MASTERKEY SERVICES

A. BEST MASTERKEY SERVICES PROVIDED TO DISTRIBUTOR:

dormakaba USA, upon request and at its sole discretion, may provide select masterkey services to an Authorized Distributor for both non-patented masterkey systems and Best Patented Masterkey Systems. In order for an Authorized Distributor to place an order for the extension of, or modification to, a masterkey system previously created or maintained by dormakaba USA, the End User must have selected that Authorized Distributor as its authorized designee in the End User Information & Code Release Form received by dormakaba USA. Complete keying instructions must be given before a Best order can be properly acknowledged with an estimated delivery date. dormakaba USA reserves the right to charge for the service of a customized masterkey security solution with the purchase of a Best product. A masterkey service charge will be assessed for each order for cylinders or cores for use in non-Best manufactured locks for which Best has an equivalent product. Best Patented Masterkey System products shall not be provided without the associated masterkey services being provided by dormakaba USA. All Masterkey Services provided by dormakaba USA shall be subject to the terms and conditions of the Best Masterkey Service Order Acknowledgment which shall be provided upon acceptance of the order for Masterkey Services.

B. BEST BESTCODE:

dormakaba USA may, in its sole discretion, make available its BESTCode masterkey code management tool to select Authorized Distributors that meet certain training and certification requirements. If offered, BESTCode will be made available for an annual subscription fee as outlined in the Best pricing catalog. All codes made available to Authorized Distributors in the BESTCode system shall be subject to the BESTCode User License Agreement and will be provided in accordance with this Policy. The BESTCode masterkey code management tool is not available for use with Stanley Commercial Hardware products.

III. FORMS

For a copy of the following forms please contact the dormakaba USA End User Consultant.

- End User Information and Code Release Agreement
- Best Patented Masterkey System Distributor Agreement Addendum (Exhibit B)
- Best Patented Masterkey System Security Authorization Form
- Best Patented Key Systems Security Procedure
- Best Patented Masterkey System Exclusive Keyway Addendum
- Best Patented Masterkey System End User Specific Distributor Agreement Addendum (Exhibit D)

dormakaba USA reserves the right to change, modify or update this Policy at any time, in its sole discretion.

Architectural Finishes

BHMA No.	U.S. No.	Description
605	3	Bright brass, clear coated
606	4	Satin brass, clear coated
611	9	Bright bronze, clear coated
612	10	Satin bronze, clear coated
613	10B	Oxidized satin bronze, oil rubbed
618	14	Bright nickel plated, clear coated
619	15	Satin nickel plated, clear coated
622	19	Flat black, coated
625	26	Bright chromium plated
626	26D	Satin chromium plated
627	27	Satin aluminum, clear coated
628	28	Satin aluminum, clear anodized
629	32	Bright stainless steel
630	32D	Satin stainless steel
690	20	Dark bronze coated
600		Primed (painted)
689		Aluminum (painted)
690		Statuary bronze (painted)
691		Dull bronze (painted)
693		Black (painted)
695		Dark duranodic bronze (painted)
696		Gold (painted)

*finishes may not all apply to all products


BEST Standard & Premium Keys

How To Order

IA	1	A	1		
Key Shape (Bow)	Key Type	Keyway	Cut Code	Key Stamp	Options
1A – Standard 1AP – Premium 2A – Large round 3A – Large rectangular 4A – Access bow 9A – Blockout blade	0 – Blockout blade 1 – Operating or blank 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	Designate specific keyway (A, E, etc.) or multiple keyways if ordering a multi-milled key.	1 – Blank 2 – Cut	KS654 x KS292 – BEST logo full embossing with stars (1A & 1AP only) KS112 – "U.S. Gov't do not duplicate" KS567 – Premium Specify KS#. Price for most custom design stamps available upon request.*	B* – Long blade (1A only) H* – No hole (2A only) N* – Long nose (1A only) NKW – No keyway designation (standard on 1AP) P* – Plastic insert (4A only) S* – Key serialization


*Indicates extra cost option; see below.
 If keys are cut, you must specify keymark and number of each marking.

Description	Premium	Standard
1A Series		
Blanks	5.80	3.40
Operating-cut	14.80	10.50
Control, Master, SM or GM-cut	19.70	11.60
2A, 3A & 4A Series		
Blanks	N/A	5.70
Operating-cut	N/A	11.70
Control, Master SM or GM-cut	N/A	17.30
9A Series		
Blockout blades	17.30	12.30
Extractor key (9A9)	17.30	12.30



Extra Cost Options*	Option Code	Add-On
Double milling		4.00
Triple milling	Specific Keyways	6.20
Quadruple milling		9.30
Five milled		16.00
Long blade (1A only)	B	4.00
No hole (2A only)	H	2.50
Long nose (1A only)	N	7.40
Key serialization / key	S	2.50

NOTE 1: Graphics and company logos are available upon request.
 NOTE 2: Minimum 200 Keys Per Order.



How To Order

IAK	1	B1	1	7	150	
Key Shape (Bow)	Key Type	Keyway	Cut Code	Pin Size	Key Series	Options
IAK - BEST Peaks	0 – Blockout blade	B1	1 - Blank	6 - 6-pin (140 & 150 series)	150	CS* - Custom stamp for key bow (Note 1)
9AK - Blockout blade	1 – Operating	B2	2 - Cut	7 - 7-pin (150 series only)	140	
	2 – Control	B3		140 Series = 1CK cores		
	3 – Master	B4		150 Series = 1CB cores		
	4 – Submaster	B5				
	5 – Grandmaster	B6				
	9 – Extractor key	B7				
		B8				
		B9				
		B10				

*Indicates extra cost option, see below.
If keys are cut, you must specify keymark and number of each marking.

Description	Patented
IAK Series	
Blanks	9.70
Operating-cut	23.00
Control, Master, SM or GM-cut	26.00
9AK Series	
Blockout blade	25.00

Extra Cost Options*	Add-On
List price add-on per key blank (Note 2)	2.10

NOTE 1: Graphics and company logos are available upon request.
NOTE 2: Minimum 200 key blanks per order.

BEST Preferred Patented Keys

How To Order

IAF	1	1P	1	7
-----	---	----	---	---

Key Shape (Bow)	Key Type	Keyway	Cut Code	Pin Size	Options
IAF – Preferred Patented	0 – Blockout blade	1P	1 – Blank	7 – 7-pin (150 series ICF cores only)	CS* – Custom stamp for key bow (Note 1)
9AF – Preferred Blockout Blade	1 – Operating	2P	2 – Cut		
	2 – Control	7P			
	3 – Master	8P			
	4 – Submaster	9P			
	5 – Grandmaster	10P			
	9 – Extractor key				

*Indicates extra cost option; see below.
If keys are cut, you must specify keymark and number of each marking.

Description	Patented
IAF Series	
PATENTED blanks	10.00
Operating-cut	23.00
Control, Master, SM or GM-cut	27.00
9AF Series	
Blockout blade & extractor key set	83.00

Extra Cost Options*	Add-On
List price add-on per key blank (Note 2)	2.10

NOTE 1: Graphics and company logos are available upon request.
NOTE 2: Minimum 200 key blanks per order.

How To Order – M Series

IAM	1	MM	2	1	KS716
-----	---	----	---	---	-------

Key Shape (Bow)	Key Type	Keyway	Level	Cut Code	Key Stamp	Options
1AM – M series key	0 – Blockout blade	MJ MK	1 – Non-exclusive	1 – Blank	KS716 – IAM Front	B* – Long blade (IAM series only)
2AM – Large round	1 – Operating or blank	ML MM	2 – Two-digit zip code exclusive	2 – Cut	KS717 – IAM Front	H* – No hole (2AM series only)
3AM – Large rectangular	2 – Control		3 – One digit zip code exclusive		KS800 – IAM Back	N* – Long nose (IAM series only)
4AM – Access bow	3 – Master		4 – National exclusive			S* – Key serialization
9AM – Blockout blade	4 – Submaster					
	5 – Grandmaster					
	9 – Extractor key					

*Indicates extra cost option; see below.
 Designate multiple keyways if ordering a multi-milled key.
 If keys are cut, you must specify keymark and number of each marking.
 **Must specify keyway when ordering blockout blades

How To Order – X Series

IAX	1	XI	X	1	KS699
-----	---	----	---	---	-------

Key Shape (Bow)	Key Type	Keyway	Level	Cut Code	Key Stamp	Options
1AX – X series key	0 – Blockout blade	XI, X32, etc.	W – Non-exclusive	1 – Blank	KS699 – IAX Back	S* – Key serialization
9AX – Blockout blade	1 – Operating or blank		X – Two-digit zip code exclusive	2 – Cut		
	2 – Control		Y – One digit zip code exclusive			
	3 – Master		Z – National exclusive			
	4 – Submaster					
	5 – Grandmaster					
	9 – Extractor key					

**Indicates extra cost option; see below.
 Designate multiple keyways if ordering a multi-milled key.
 If keys are cut, you must specify keymark and number of each marking.
 **Must specify keyway when ordering blockout blades"

Description	Patented
1AM Series	
Blanks	6.40
Operating-cut	13.70
Control, Master, SM or GM-cut	15.00
1AX Series	
Blanks	6.40
Operating-cut	13.70
Control, Master, SM or GM-cut	15.00
2AM, 3AM & 4AM Series	
Blanks	6.60
Operating-cut	12.10
Control, Master, SM or GM-cut	18.60
9AM & 9AX Series	
Blockout Blades	15.00
Extractor key (9AM9 or 9AX9)	15.00

NOTES:

1. M Series key ways are backward compatible with STANDARD key ways of the same letter.
2. X Series key ways are NOT backward compatible.
3. Please contact factory for information regarding all security levels for the M and X Series. Levels 2, 3 and 4 require Masterkey Department authorization.
4. Match key keyways level to core key way level.
5. 3AM keys are available with M series keyways only

Extra Cost Options*	Option Code	Add-On
Double milling	Specific	4.00
Quadruple milling	Keyways	9.30
Long blade (IAM only)	B	4.00
No hole (2AM only)	H	2.50
Long nose (IAM only)	N	7.40
Key serialization / key	S	2.50

B Series Padlocks

Cylinders/Keys/Cores

How To Order

4IB 7 2 L

Shackle Diameter	Core Housing	Shackle Height	Function	Chain Option	Special Stamp No.	Other Options
11B – 1/4" 21B – 5/16" 41B – 3/8"	7 – 7-pin housing, accepts all BEST cores	Steel shackle 2 – 3/4" 21 – 1" w/ shroud (21B only) 22 – 1 1/2" 72 – 2" 82 – 4" Bronze shackle 0 – 3/4" 20 – 1 1/2" 70 – 2" 80 – 4"	T – Key retained L – Non-key retained	M – Case drilled (no clevis/chain) M1* – Bronze chain M5* – Galvanized steel chain M/CR* – Clevis Only	Blank – Best logo PS1010 – "Safety First" (11B & 21B only) Specify PS# or describe stamp. Price for special stamps available upon request.	F3 – Frangible shackle (11B720 only) O* – Lockout/tagout (OSHA) S* – Car seal (41B only) ZZ* – Double lockout (11B only) XSPL* – Cut resistant shackle WC* – Weather cover SH – Shrouded padlock w/cut resistant shackle (21B only) 606* – Satin Brass finish (brass only)

**Indicates extra cost; see the last page of B Series.
Must specify keymark and number of keys or designate L/C for less core.*

Shackle Height	Shackle Code		Complete With Combined Core			Less Core
	Bronze	Stainless Steel	Patented**	Premium	Standard	
11B Series						
3/4"	0	2	153.00	153.00	140.00	65.00
1-1/2"	20	22	153.00	153.00	140.00	65.00
2"	70	72	157.00	157.00	145.00	69.00
4"	80	82	165.00	165.00	153.00	77.00
21B Series						
3/4"	0	2	155.00	155.00	143.00	67.00
1-1/2"	20	22	155.00	155.00	143.00	67.00
2"	70	72	158.00	158.00	146.00	70.00
4"	80	82	166.00	166.00	154.00	78.00
41B Series						
3/4"	0	2	157.00	157.00	145.00	69.00
1-1/2"	20	22	157.00	157.00	145.00	72.00
2"	70	72	160.00	160.00	148.00	69.00
4"	80	82	168.00	168.00	156.00	80.00
21B Series with Shroud*						
1"	N/A	21	214.00	214.00	202.00	126.00

*Pricing includes stainless steel shroud and cut-resistant shackle. Must include "SH" option when ordering
**Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.
NOTE: 626 finish is standard on brass padlock series.

Description	Catalog Number	Complete With Combined Core			Less Core
		Patented	Premium	Standard	
Cable Padlocks					
Jacketed – 24" cable	21JB7-24T	174.00	174.00	162.00	89.00
Jacketed – 36" cable	21JB7-36T	185.00	185.00	173.00	100.00
Jacketed – 48" cable	21JB7-48T	192.00	192.00	180.00	107.00
Extra cable per ft. or fraction thereof jacketed	Add-On	9.50	9.50	9.50	9.50

*Includes: padlock disassembly tool, three shackles and springs.
NOTE: Chain options are not available on cable padlocks or padlocks with shroud.

B Series Padlocks (continued)

Cylinders/Keys/Cores

Case Finish / Color Options	Option Code	Add-On*
626	626 (DEFAULT)	-
606	606	23.00
Red Powder Coat	RED	17.00
Yellow Powder Coat	YELLOW	17.00
Blue Powder Coat	BLUE	17.00
Black Powder Coat	BLACK	17.00
Orange Powder Coat	ORANGE	17.00
Green Powder Coat	GREEN	17.00

Chain Options	Option Code	Add-On
Case drilled (no clevis / chain)	M	-
Clevis with Bronze chain	M1	13.00
Clevis with Galvanized steel chain	M5	21.00
Clevis only	M/CR	6.50

NOTE: Chain options are not available on cable padlocks, weather covers, or padlocks with shroud.


Other Options	Option Code	Add-On
Frangible shackle	F3	0.00
Lockout/Tagout*	O	17.00
Car Seal Slot (41B only)	S	23.00
Double lockout (11B only)	ZZ	27.00
Cut resistant shackle	XSPL	28.00
Weather cover (21B & 41B only)	WC	7.90
Shrouded padlock w/cut resistant shackle (21B only)	SH	0.00

**O* option requires M1, M5 or M/CR chain option add-on and color choice

Accessories	Catalog Number	Price
Frangible shackle kit*	11B20FK	215.00
Frangible shackle only	11B20FF	13.00

*Includes: padlock disassembly tool, three shackles and springs.

NOTE: Chain options are not available on cable padlocks, weather covers, or padlocks with shroud.



M1



M5

BEST Standard & Premium Cores

Cylinders/Keys/Cores

How To Order

IC	7	A	1	606	
Core Type	Core Size	Keyway	Combining Code	Options	Finish
1C – Standard	5 – 5-pin (1C only)	Designate specific keyway (A, E, etc.)	1 – Uncombined	B* – Pick & drill resistant (1CD only)	605 606
1CD – Drill resistant	6 – 6-pin (1C only)		2 – Combined (B, W, P options)	K* – Key trap (1C only)	611 612
1CDP – Drill resistant Premium	7 – 7-pin			P* – Pick resistant	613 625
1CP – Premium				T* – Key retained (6C & 6CP only)	626 690
2C** – Core for 8L mailbox				W* – Wear resistant	
3C – Core for 8E cylinder					
5C** – High security					
6C – Core for 4S cylinders					
6CP – Premium core for 4S cylinder					

*Indicates extra cost option, see below. **Requires long blade key and only compatible with high security mortise cylinder.
If combined, you must specify keymark and number of keys.
Only compatible with high security mortise cylinder

Description	Combining Code	Premium	Standard
1C & 1CP Series			
Uncombined	1	52.00	46.00
Combined	2	85.00	73.00
1CD & 1CDP Series			
Uncombined	1	74.00	68.00
Combined	2	107.00	95.00
2C & 3C Series			
Uncombined	1	N/A	49.00
Combined	2	N/A	75.00
5C Series			
Uncombined	1	N/A	67.00
Combined	2	N/A	87.00
6C & 6CP Series			
Uncombined	1	57.00	49.00
Combined	2	91.00	75.00

Extra Cost Options*	Option Code		Add-On
Pick &/or drill resistant	B,P	N/A	22.00
Key trap	K	N/A	9.90
Key retained	T	N/A	9.90
Wear resistant	W	N/A	9.90

Part Description	Part No.	Quantity Per Pkg.	Price Per Pkg.
Standard pin segments	A0, A1 etc.	100	11.00
Spool pin segments (Note 1)	A6, A7, etc.	100	13.00
Stainless steel segments	A0, A1, etc.	100	53.00
Core caps (500 per pkg.)	21C	500	18.00
Core springs (500 per pkg.)	22S	500	42.00


NOTE: Standard spool pin segments are available in the following sizes: A6, A7, A8, A9, B8, B10, C3, C4, C5, C6, D6, D8, E3, E4, E5, F6, F7, & F8. (B6 spool pin segments should not be used with 5C cor




1C – 7-pin



2C
(Requires long blade key)



3C



5C
(Requires long blade key)



6C



6CP

How To Order

ICB	7	B1	1	626	
Core Type	Core Size	Keyway	Combining Code	Finish	Style
ICB – 150 Series	6 – 6-pin (140 & 150 series)	B1 B6	1 – Uncombined	626 – Simulated	3840 – BEST I/C 6 pin 140 series See the list below for other options.
ICK – 140 Series	7 – 7-pin (150 series only)	B2 B7	2 – Combined	606 – Simulated	
		B3 B10			

*If combined, you must specify keymark and number of keys.

ICB Series Peaks Cores

Series Style	Description	Combined	Uncombined
Interchangeable Core			
3856	BEST I/C 6-pin brass 150 Series	104.00	62.00
3857	BEST I/C 7-pin brass 150 Series	104.00	62.00

ICK Series Peaks Cores

Series Style	Description	Combined	Uncombined
Interchangeable Core			
3840	BEST I/C 6-pin brass 140 Series	104.00	62.00
Conventional Cylinders (KIK = Key In Knob)			
3404	Corbin Russwin CK4200 grade, 1 knob & UT5200 unit lock	127.00	80.00
3406	Arrow, LSDA, Schlage "06" kit includes 2 security bushings, 3 faced tailpieces	127.00	80.00
3408	Sargent 7, 8 & 9 line knob	127.00	80.00
3410	Sargent Kit for 6,10, 65 line and 2000 exit device line; includes security bushing and 2 fixed tailpieces (Use A and E bottom pins only)	127.00	80.00
3454	Yale 5300 grade 2 & 5400 grade 1 knob	127.00	80.00
3455	Corbin Russwin CL3900 & Yale 5400LN grade 1 lever	127.00	80.00
3476	Sargent 7600 Integra Lock	127.00	80.00
3495	Falcon, Sargent & Weiser cyl. kit for small dia. plug faces; 3 fixed & 3 lost motion tailpiece (Use J or K bottom pins only)	127.00	80.00
3499*	Peaks Universal "99" cyl. kit includes 3 fixed & 3 lost motion tailpieces (Use J or K bottom pins only)	121.00	77.00

*The 3499 universal cylinder should be used for all Key in Knob applications except Falcon, Sargent, Weiser Locks and specialty applications listed above. Refer to the BEST Peaks Technical Manual for various KIK Tailpiece Configurations.

Removable Core			
6140	6-pin Corbin Russwin R/C	141.00	89.00
6240-6	6-pin Yale R/C	141.00	89.00
6340	6-pin Medeco R/C	141.00	89.00
6440	6-pin Schlage R/C	146.00	100.00
6540	6-pin Sargent R/C	141.00	89.00

How To Order

ICF	7	1P	1			626	
Core Type	Core Size	Keyway	Combining Code	Style	Options	Finish	
ICF – 150 Series Patented	6 – 6-pin (140 series only)	1P	1 – Uncombined	See list below for style options	(150 Series only)	626** – Simulated	
ICDF** – 150 Series Patented		2P	2 – Combined			B* – Pick & drill resistant (ICDF only)	606** – Simulated
3CF – Core for 8E Cylinder 150 Series		7P				K* – Key trap	612 – Simulated
6CF – Core for 4S Cylinders 150 Series		8P				P* – Pick resistant	613 – Simulated
		9P					
		10P					
					T* – Key retained (6CF only)		
					W* – Wear resistant		
					D* – Drill Resistant		

*Indicates extra cost option; see below
If combined, you must specify keymark and number of keys.

ICF, ICDF, 3CF and 6CF Preferred Patented Cores

Description	Combined	Uncombined
Interchangeable Core		
ICF - BEST Preferred I/C 7-pin brass 150 series	105.00	73.00
ICDF - BEST Preferred drill resistant I/C 7-pin brass 150 series	127.00	96.00
3CF - BEST Preferred I/C for 8E cylinder 7-pin brass 150 series	124.00	78.00
6CF - BEST Preferred I/C for 4S cylinder 7-pin brass 150 series	124.00	78.00

*The 3499 universal cylinder should be used for all Key in Knob applications except Falcon, Sargent, Weiser Locks and specialty applications listed above.
Refer to the BEST Peaks Technical Manual for various KIK Tailpiece Configurations.

Extra Cost Options	Option Code	Add-On
Pick and/or drill resistant	B, D, P	22.00
Key Trap	K	9.90
Key Retained	T	9.90
Wear Resistant	W	9.90

BEST CORMAX™ Patented Cores

How To Order – M Series

ICM	7	MJ	3	1	626	
Core Type	Core Size	Keyway	Level	Combining Code	Options	Finish
ICM – CORMAX Core M Series	6 – 6-pin	MJ	1 – Non-exclusive	1 – Uncombined	B* – Pick & drill resistant (ICDM combined core only)	605 606
ICDM – CORMAX Drill resistant (M Series only)	7 – 7-pin	MK	2 – Two-digit zip code exclusive	2 – Combined	K* – Key trap (ICM only)	611 612
5CM** – CORMAX for High security (M Series only)		ML	3 – One digit zip code exclusive		P* – Pick resistant	613 625
6CM – CORMAX Core for 4S cylinder		MM	4 – National exclusive		T* – Key retained (6CM only)	626 690
					W* – Wear resistant	

*Indicates extra cost option, see below

**Only compatible with high security mortise cylinders

If combined, you must specify keymark and number of keys.

How To Order – X Series

ICX	7	XI	W	1	626	
Core Type	Core Size	Keyway	Level	Combining Code	Options	Finish
ICX – CORMAX Core X Series	6 – 6-pin	XI.X32, etc.	W – Non-exclusive	1 – Uncombined	B* – Pick & drill resistant (ICDX combined core only)	605 606
ICDX – CORMAX Drill resistant (X Series only)	7 – 7-pin		X – Two-digit zip code exclusive	2 – Combined (B Option)	P* – Pick resistant	611 612
6CX – CORMAX Core for 4S cylinder			Y – One digit zip code exclusive		W* – Wear resistant	613 625
			Z – National exclusive			626 690

*Indicates extra cost option, see below

**Only compatible with high security mortise cylinder

If combined, you must specify keymark and number of keys.

Description	Combining Code	Cormax
ICM / ICX Series		
Uncombined	1	62.00
Combined	2	85.00
ICDM / ICDX Series		
Uncombined	1	84.00
Combined	2	107.00
5CM Series		
Uncombined	1	76.00
Combined	2	95.00
6CM Series		
Uncombined	1	66.00
Combined	2	86.00
6CX Series		
Uncombined	1	66.00
Combined	2	86.00

NOTES

1: M Series key ways are backward compatible with Standard key ways of the same letter.

2: X Series key ways are NOT backward compatible.

3: Please contact factory for information regarding all security levels for the M and X Series. Levels 2, 3 and 4 require Masterkey Department authorization.

4: Match key keyways level to core key way level.

Extra Cost Options*	Option Code	Add-On
Pick &/or drill resistant	P & B	22.00
Key trap	K	9.90
Key retained	T	9.90
Wear resistant	W	9.90

Part Description	Part No.	Quantity Per Pkg.	Price Per Pkg.
Standard pin segments	A0, A1 etc.	100	11.00
Spool pin segments (Note 1)	A6, A7, etc.	100	13.00
Stainless steel segments	A0, A1, etc.	100	53.00
Core caps (500 per pkg.)	21C	500	18.00
Core springs (500 per pkg.)	22S	500	42.00

NOTE: Standard spool pin segments are available in the following sizes: A6, A7, A8, A9, B8, B10, C3, C4, C5, C6, D6, D8, E3, E4, E5, F6, F7, & F8. (B6 spool pin segments should not be used with 5C core.)

D Series Service Equipment

Auxiliary Locks

The security items in this series are available only to registered BEST Masterkey System owners. The restriction is for the purpose of avoiding proliferation of equipment that could be used to compromise the security of such systems.

Description	Catalog No.	Price
AD Series - Key Equipment		
Key combinator (Standard & CORMAX)	AD433*	5,900.00
Key combinator—Premium	AD433P*	6,774.00
Key carriage (Standard & CORMAX M Series keyways)	AD434	920.00
Key carriage—Premium	AD434P	766.00
Key combinator system conversion	Call to Order	762.00
Key cut indicator (in CD431 Kit)	AD501*	44.00
Key calibrator (mechanical)	AD502	946.00
Key calibrator (digital)	AD502D	2,427.00
Key stamping plate (55 standard keys)	AD504A	2,089.00
BD Series - Padlock Equipment		
Assembly kit complete	BD640	496.00
Tweezers—6" (in BD640 Kit)	BD641	31.00
Shackle plug tool (in BD640 Kit)	BD642	356.00
Holding plate (in BD640 Kit)	BD643	117.00
Rivet flaring tool	BD650	300.00
Storage hook (41B & 61B)	BD651	22.00
Padlock disassembly tool (11B, 21B, 41B)	BD654	210.00
Lockout	BD655	26.00
Lockout ties (pkg. of 50)	BD656A	41.00
Lockout name tag	BD657	8.10
Lockout / tagout	BD658	8.10
Corrosion free lubricant - 2 oz Squeeze Bottle	BD670	44.00
Corrosion free lubricant - 28.74 oz Refill	BD680	99.00
CD Series - Core Equipment		
Combining kit complete	CD431*	1,175.00
Combining bin	CD433	472.00
Stamping plate—face only (87 cores)	CD504B	2,089.00
Stamping plate—side only (50 cores)	CD504C	2,089.00
Core capping / decapping press	CD517	3,172.00
Graphite gun	CD535	39.00
Graphite—1 lb. container	CD535A	65.00
Capping / decapping block for IC 150 (in CD431 Kit)	CD540	239.00
Hand capping pin for use with capping block (in CD431 Kit)	CD547	32.00
Ejector pin (in CD431 Kit)	CD548	22.00
Tweezers—3" (in CD431 Kit)	CD549	7.10
Combining bin kit	CD435	2,367.00
DD Series - Combining Equipment		
Letter dies—1/16" or 3/32"	DD502	300.00
Number dies—1/16" or 3/32"	DD503	105.00
Core / key marking block (1 core & key)	DD513	239.00
Core / key marking plate (5 cores & 10 keys)	DD514	612.00
Magnetic strip (2 ea. in DD514)	DD514A	5.90
Combining hammer with plastic head	DD550	145.00
Plastic heads (for DD550)	DD551	44.00

*Specify A2, A3 or A4 keying system

Description	Catalog No.	Price
ED Series - Cylinder Equipment		
Mortise cylinder wrench	ED211	54.00
Mortise cylinder assembly tool	ED212	94.00
Thread repair die 1E cylinder	ED221	653.00
Cylinder cam testing tool	ED222	56.00
3E Cylinder hole tap	ED224	563.00
1E Cylinder hole tap	ED225	563.00
Eurocylinder wrench	ED801	193.00
5E Combining kit complete (Note 1)	5ED250	1,257.00
5E Thread tap—3/4" x 24	5ED253	254.00
5E Capping block (in 5ED250 Kit)	5ED261	370.00
5E Cap depressor (in 5ED250 Kit)	5ED262	102.00
KA Series - Door Adaptor Kits		
Mortise to cylindrical 1" faceplate	62KA2A	108.00
Mortise to cylindrical 1-1/8" faceplate	83KA2A	110.00
Wrap-around 2-3/8" backset (160)	62KA2B	108.00
Wrap-around 2-3/4" backset (161)	83KA2B	110.00
KD Series - Cylindrical/Tubular Equipment		
9K Throughbolt drill jig	KD303	9.90
Boring jig kit complete (Note 3)	KD304A	1,405.00
Drill bit—2-1/8"	KD308	472.00
Faceplate marking chisel (160)	KD312	129.00
Faceplate marking chisel (161) 1-1/8"	KD315	129.00
8K Spanner wrench	KD316	9.90
9K Spanner wrench	KD317	9.90
Drill bit—1" x 9"	KD318	105.00
Strike plate locating pin	KD325	44.00
Return spring loading tool	KD340	89.00
Knob Adaptation Cut-Off Fixtures For:		
Schlage D Series	KD352S	244.00
Yale #5400	KD351Y	244.00

NOTES:

1. Specify A2, A3 or A4 keying system.

2. Specify door thickness (630 finish only).

3. KD304A includes a boring jig and a 3/8" adaptor chuck. (The boring jig and 3/8" adaptor chuck are not sold separately).

D Series Service Equipment (continued)

Auxiliary Locks

The security items in this series are available only to registered BEST Masterkey System owners. The restriction is for the purpose of avoiding proliferation of equipment that could be used to compromise the security of such systems.

Description	Catalog No.	Price
140 Series Bottom Pins		
A2 Bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	A2A0 thru A2A9	22.00
A2 Bottom pins for 6140 & 6540 RC, and KIK cylinders	A2J0 thru A2J9	22.00
A4 Bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	A4E0 thru A4E5	22.00
A4 Bottom pins for 6140 & 6540 RC, and KIK cylinders	A4K0 thru A4K5	22.00
A2 Bottom pins for 6440 removable cores	A2X0 thru A2X9	22.00
140 Series Top Pins		
A2 Top pins for all products (except 6440 removable core)	Use BEST top pins (see page 20)	N/A
A4 Top pins for all products (except 6440 removable core)	Use BEST top pins (see page 20)	N/A
A2 Top pins for 6440 removable core	A2W2 thru A2W19	22.00
Patent Top & Bottom Pins		
Patent top pins for all IC and RC cylinders	PT1	61.00
Patent top pins for KIK cylinders	PT2	61.00
Patent bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	PB1	61.00
Patent bottom pins for 6140 & 6540 RC, and KIK cylinders	PB2	61.00
Timing Pins		
Timing pin for 6340 and 6540 RC cylinders	TP6312	62.00
Segment Springs		
Springs for all products except Schlage 6440 RC	SS4220	83.00
Springs for Schlage 6440 RC	SS4010	83.00
Spring Slide Covers		
Spring cover for all KIK cylinders and 6440 RC	SC2000	62.00
Spring cover for 6140 & 6240 RC, mortise, and rim cylinders	SC2005	62.00
Spring cover for 6340 and 6540 RC cylinders	SC2001	62.00
Caps for 3840 IC core	Use BEST 21C caps (see page 20)	N/A
Capping Tools		
Staking fixture for KIK, mortise, and rim cylinders	CD4000	624.00
Staking fixture for IC, and all RC cylinders (except 6440 RC)	CD6840	624.00
Staking tool for KIK, and all RC cylinders (except 6440 RC)	CD4001	294.00
Staking fixture for 6440 RC cylinder	CD6440	314.00
Staking tool for 6440 RC cylinder	CD6401	294.00
Plug follower	LT370	52.00
140 & 150 key gage for both A2 and A4	AD4050	81.00
Pin Kits		
Peaks universal A2 pin kit complete (Manufactured by KABA)	CD5012	1,586.00
Peaks universal A4 pin kit complete (Manufactured by KABA)	CD5004	1,586.00
Peaks Schlage 6440 RC A2 pin kit complete (Manufactured by KABA)	CD5002	1,586.00
AD Series - Key Equipment (You must purchase directly from BEST)		
Key combinator - Peaks® 6-pin	AD436*	7,184.00
Key combinator - Peaks® 7-pin	AD437*	7,184.00
Key carriage - Peaks® 6-pin	AD436K	1,192.00
Key carriage - Peaks® 7-pin	AD437K	1,192.00
Capping Tools (You must purchase directly from BEST)		
140 Series IC Capper/Decapper press	CD517P	3,123.00
140 IC Capping block only (order CD540 for 150 IC)	CD540P	235.00
140 & 150 Key cut indicator (Peaks equipment)	AD4050	81.00
140 & 150 IC Capping tool (for use with capping block)	CD547	32.00

All 140 series keys and 150 series keys using B3 through B6 keyways require a key milling machine.

*Specify A2 or A4 keying system.

KRD Series Key Retaining Devices

Auxiliary Locks

How To Order

KRD-2	UL-KRD-2	S
Device type	Part number	Option

Description	Catalog number	Price
BEST core models		
KRD-2 BEST Core Model	UL-KRD-2	524.00
KRD-2H Hybrid (Sargent/BEST Model)	UL-KRD-2H SAR/BEST	600.00
KRD-2H Hybrid (BEST/Schlage FSIC Model)	UL-KRD-2H BEST/SCH	600.00
KRD-3 BEST Core Dual Function Model	UL-KRD-3	775.00
Non-BEST Full size core models		
KRD-2 Corbin Russwin 6-pin IC	UL-CR6-KRD-2	600.00
KRD-2 Corbin Russwin 7-pin IC	UL-CR7-KRD-2	600.00
KRD-2 Medeco IC	UL-MED-KRD-2	600.00
KRD-2 Sargent RC	UL-SAR-KRD-2	600.00
KRD-2 Schlage FSIC	UL-SCH-KRD-2	600.00
KRD-2 Yale 6-pin IC	UL-YA6-KRD-2	600.00
KRD-2 Yale 7-pin IC	UL-YA7-KRD-2	600.00

Extra Cost Options*	Option Code	Add-On
Switch	S	186.00
Security seal	SS	167.00

*Add option code to part number shown above.

QU-I.C-SYSTEM Combining Tool Packages

How To Order

BQDP		A2	7	Example: GM 8301836 CTL 4189250
Package description		System Type	Core size	System Code Information REQUIREMENT
Dedicated	BQDP – Basic QU-I.C-KEY Dedicated Package	A2 – A2 System	6 – 6-pin	YES System Grand Master and Control codes must be supplied
	PQDP – Professional QU-I.C-KEY Dedicated Package	A4 – A4 System	7 – 7-pin	
Universal	BQUP – Basic QU-I.C-KEY Universal Package	A2 – A2 System	6 – 6-pin	NO Code information is not necessary.
	PQUP – Professional QU-I.C-KEY Universal Package	A4 – A4 System	7 – 7-pin	

Description	Catalog No.	Price
Dedicated Packages		
These QU-I.C-KEYS are permanently factory built specifically for just one key system. Grand master & Control codes are required. These tools are intended for long-term use by Institutional Locksmiths and others who continuously work with the same key system(s).		
Basic dedicated package, includes: QKD, QLT-6 or QLT-7, QTT, OCT, QTJ, and OPT (see individual components listed below).	BQDP-A2/A4-pin/GM & CTL *	2,034.00
Professional dedicated package, includes all components in the basic package, plus QTA, QPP and CKT-80 (see individual components listed below).	PQDP-A2/A4-pin/GM & CTL *	2,545.00
Universal Packages		
Using a blank QU-I.C-KEY and code strips, you get to custom build a QU-I.C-KEY for any A2 key system that you are working with. These kits are better suited for temporary use and re-use - not for longer term of continuous key system use. A4 System kits are also available.		
Basic universal package, includes: QKD, QLT-6 or QLT-7, QTT, OCT, QTJ, and OPT (see individual components listed below).	BQUP-A2/A4-pin *	2,548.00
Professional universal package, includes all components in the basic package, plus QPP, QTA and CKT-80 (see individual components listed below).	PQUP-A2/A4-pin *	3,053.00
Individual Components		
Dedicated QU-I.C-KEY with viewing base (system information required)	QKD-A2/A4-pin/GM & CTL	657.00
Dedicated QU-I.C-KEY tool only (system information required)	QKDT-A2/A4-pin/GM & CTL	497.00
Universal QU-I.C-KEY with viewing base (specify A2 or A4 system)	QKU-A2/A4	1,214.00
QU-I.C-LOAD tool (specify 6 or 7-pin cores)	QLT-6 * or QLT-7 *	506.00
QU-I.C-TEST tool	QTT *	696.00
QU-I.C-CHEX Tool	OCT *	118.00
QU-I.C-Tweez-jector	QTJ	188.00
QU-I.C-Preamer	OPT	159.00
QU-I.C-Power preamer	QPP	118.00
QU-I.C-TEST Adapter (must be used with QTT)	QTA	267.00
12 Position Core & key tray	CKT-12	230.00
80 Position Core & key tray	CKT-80	474.00

*Not compatible with the special I40 Series.

E Series Cylinders

Auxiliary Locks

How To Order

IE	7	4	C4	RP3	626	
Series	Core Housing	Function Code	Length Code	Cam or Spindle	Rings	Finish
See Below***	0 – Dummy 6 – 6-pin 7 – 7-pin housing; accepts all BEST cores	See below	Blank – Standard 22 – 1-3/8" 24* – 1-1/2" up to 6" (See length code below)	C4 – Standard cam C181 – Adams Rite MS cam S2 – Standard spindle For a complete list of cams, see the next page.	RP – Rim cylinder RP1 – Tapered cylinder RP2 – 6-pin mortise RP3 – 7-pin mortise RP4 – 3E mortise RP5 – 7-pin mortise For special rings, see the catalog.	626 690 622 Satin* 606 612 613 619 Bright* 605 611 625

*Indicates extra cost; see below.

Must specify keymark and number of keys or designate L/C for less core.

***IE Special Lengths only available on IE4 7-Pin

Series/Description	Function or Length Code	Complete With Combined Core			Less Core	Length Code	Cylinder Length
		Patented*	Premium	Standard			
1-5/32" Diameter Cylinders							
IEE Standard rim	2	155.00	155.00	143.00	70.00	22	1-3/8"
IE Standard mortise	4	165.00	165.00	153.00	80.00	24	1-1/2"
Tapered mortise	6	165.00	165.00	153.00	80.00	26	1-5/8"
Dummy rim / mortise (0-pin**)	02/04	N/A	N/A	N/A	44.00	28	1-3/4"
IEA STD Turn knob-rim / ADA mortise (6-pin**)	A2/A4	N/A	N/A	N/A	60.00	30	1-7/8"
ADA Turn knob-rim (6-pin**)	A1	N/A	N/A	N/A	115.00	32	2"
IEB Rim / mortise with dust cover	B2/B4	206.00	206.00	194.00	121.00	34	2-1/8"
IEC Square head mortise	C4	206.00	206.00	194.00	121.00	36	2-1/4"
IED Slabbed direct motion (7-pin**)	D4	206.00	206.00	194.00	121.00	40	2-1/2"
IEE Slabbed lost motion (7-pin**) (Specify RH or LH hand)	E4	206.00	206.00	194.00	121.00	44	2-3/4"
IEF Standard lost motion (Note 1)	F4	206.00	206.00	194.00	121.00	48	3"
IEG Hotel shifting cam	G4	206.00	206.00	194.00	121.00	56	3-1/2"
IEJ High security—UL-listed (7-pin**)	J4	303.00	N/A	296.00	N/A	64	4"
IEK High security—Non-UL (7-pin**)	K4	202.00	N/A	194.00	207.00	72	4-1/2"
IE Series Special Length Mortise Cylinders							
1-3/8"	22	192.00	192.00	180.00	107.00	80	5"
Each additional 1/8" (1-1/2" to 6") See catalog for lengths available.	24 to 96*	5.20	5.20	5.20	5.20	88	5-1/2"
3E Series							
Mortise-1-1/2" diameter (7-pin**)	4	206.00	206.00	194.00	121.00	92	5-3/4"
						94	5-7/8"
						96	6"

*Patented pricing shown is for CORMAX patented keying. Add \$20.00 for BEST Preferred patented keying.

**Only Standard and CORMAX M Series keying available on IEJ and IEK cylinders.

*Extra Cost Option	Add-On
Satin finish—606, 612, 613, etc.	4.20
Bright finish—605, 611, 625, etc.	5.90

Part Description	Part Number	Part Price	With Lock Add-On
Standard rings	IER2, 3, 4, 5	5.00	0.00
Straight rings (Specify lengths.)	IER7	19.00	7.50
Tapered rings (Specify lengths.)	IER8	23.00	18.00
Security rings (Specify lengths.)	IESR	75.00	0.00
Spindles	IES2, 3	5.00	0.00
Hex nut for IE	A00836	4.50	0.00
Standard throw pins	A40095	1.20	0.00
Throw pins—Adams Rite MS Cam	A20924	1.20	0.00

NOTE 1: Specify stop pin right or left of cam from back view.

E Series Cylinders (continued)

Use the following table to determine the kinds of cams available for IE, 3E and 5E cylinders.

Cams Listing

Cam Type	Cams by Cylinder Type											
	IE Cyl				3E Cyl			5E Cyl				
Cabinet	C224	C225	C228								C2A	C245
	C229	C235	C238	C241							C4A	C3
	C246	C248	C249	C250							C2B	C4B
	C253	C500 thru C509 (C500, C501, C502, etc)									A10281	
	A04607	A08854	A10281	A14154							A21198	A26344
Cloverleaf	C118	C161	C204	C222				C118	C161			
	C243	C254	C256	C258								
	C265	C281										
Roller	C142	C221	C227					A04533				
	C240	C251	A04533									
Straight	C101	C103	C110	C115	C121	C123	C124			C127	C136	
	C127	C128	C129	C130	C131	C134	C136			C208	C210	
	C137	C143	C148	C152	C162	C165	C169			C3	C4	
	C171	C173	C177	C178	C179	C181	C182					
	C185	C186	C187	C191	C193	C200	C203					
	C208	C209	C210	C211	C220	C223	C226					
	C231	C233	C234	C239	C242	C247	C252					
	C4											
Thumbturn	C140	C410 thru (C401, C402, etc)										
Two-point	C102	C114										

Consult factory for pricing on cams.

5E and 8E Series Utility Cylinders (Cam Locks)

Auxiliary Locks


How To Order

Series	Lock Body	Keyway	Combining Code	Cam Motion	Ring Length	Cam Type*	Cam Length	Mounting Position	Cam Direction	Degree of Rotation	Finish
5E - 3/4"	6 - 6-pin 7 - 7-pin	Designate specific keyway (A, E, etc.)**	1 - Uncombined 2 - Combined	A - Direct B - Limited C - Lost motion D - Throw member drive	R701 - 1/16" R702 - 1/8" R703 - 3/16" R704 - 1/4" R705 - 5/16" R706 - 3/8" R707 - 7/16" R708 - 1/2" etc.	1 - Fixed Straight 2A - Fixed offset in 2B - Fixed offset out 3 - Lost motion 4A - Lost motion offset in 4B - Lost motion offset out D - Direct throw member	10 - 5/8" 12 - 3/4" 14 - 7/8" 16 - 1" and so forth in 1/16ths of an inch	3 - 3 o'clock 6 - 6 o'clock 9 - 9 o'clock 12 - 12 o'clock	R - Right L - Left	90 - 90° 180 - 180° 360 - 360°	626 Only

*See the previous page for other compatible 5E cams.
If combined, you must specify keymark and number of keys.
**5E cylinders available in Standard and Premium keyways only.

Description	Combining Code	Price Complete
5E-Uncombined	1	77.00
5E-Combined	2	101.00

Part Description	Part Number	Part Price
Cams	5EC1, etc.	620
Slide cap-6-pin	5ECP6	150
Slide cap-7-pin	5ECP7	150
Cam screws	5ECS	270
Hex nut 3/4"	5EH	520
Cam screw lock washer	5ELW	270
Rings [Specify length.]	5ER7	710
Springs [box of 500]	5ES1	43.00
Lock body washer	5EW	270



Description	Catalog Number	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
8E Series Eurocylinders					
Single cylinder-elliptical***	8EA7A5	N/A	N/A	182.00	107.00
Double cylinder-elliptical***	8EA7A6	N/A	N/A	279.00	129.00
Single cylinder-profile****	8EE7E4	N/A	N/A	281.00	206.00
Double cylinder-profile****	8EE7E5	N/A	N/A	371.00	221.00
Cylinder x turn knob-profile****	8EE7E8	N/A	N/A	383.00	317.00
Union single cylinder*****	8EH7H5	255.00	255.00	243.00	170.00
Union double cylinder*****	8EH7H6	388.00	388.00	364.00	218.00
Union cylinder x turn knob*****	8EH7H7	276.00	276.00	264.00	191.00
Union cylinder x lever turn*****	8EH7H8	346.00	346.00	334.00	261.00

*To order 8EE7E5, you must specify the ring length and critical dimensions. Refer to the catalog section "Cylinders."

**Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST preferred patented keying.

***Available in 605,606,619,625,626 finishes

****Available in 606,613,619,626 finishes

*****Available in 606,625,626 finishes

ATTENTION: Locksets that secure both sides of the door are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.

Description	Product Number	List Price
Keystone Web - New License	KSWN	4,666.00
Keystone Web - Upgrade (For existing users with Keystone 600 software)	KSWUP	2,333.00

Description	Product Number	List Price
Complete System Import - Importing code files for an entire masterkey system(s)	IMPКСW-1	934.00
Additions Import * - Importing code files for additions to existing system (Imports of less than 10 masters)	IMPКСW-2	234.00

*Any additions import consisting of more than 10 masters will require IMPКСW-1
 The import pricing is without respect to how many individual masterkey systems or code files are imported
 Every import order must be accompanied by an import order form. The import form is located on bestaccess.com under
 Keystone web resources or ask your dormakaba USA sales representatives for a copy.

Notes: Keystone Web software will support both network and standalone installations
 Keystone Web comes without any information loaded. Code Import files have to be ordered to import code data
 For existing customers, migration tool is included with the software to migrate data into the new application during upgrade.
 There is no additional charge for migrating existing user data in older version of Keystone to Keystone Web.
 All orders will require following information: End User Company/Facility Name, End User Name, End User Email.

45H Series Mortise Locks

Mortise Locks

Federal Spec. 86

ANSI Series 1000

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45H	7	R	14	H	626	RH	
45H – Standard mortise lock	0** – Less cylinder (non-keyed or dummy trim) 7 – 7-pin housing accepts all BEST cores	A – Office D – Storeroom L – Privacy N – Passage R – Classroom T – Dormitory etc. See below	3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17R* – Gull wing RH 17L* – Gull wing LH Knobs: 4 – Round Decorative* OEM**** – Service (less lever)**	H – 2-3/4" dia. R – 2-3/4" dia. S – 3-1/2" dia. J* – wrought M* – forged N* – forged (concealed cylinder; N trim invalid on non-keyed and double keyed functions)	618 626 630*** 690 622 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 625 629***	RH RHR LH LHR	7/8*** – 7/8" lip-to-center strike LL* – Lead lined SH* – Security head screws Thick Door* – Specify thickness if other than 1-3/4" TAC/B* – Tactile both levers/knobs TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob VIN* – Visual Keyed Indicator Option VIT* – Visual Thumb-Turn Indicator Option VIB* – Double Visual Indicator Option VT* – Vandal Trim WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost option

**Indicates cost deduction. Must specify keymark and number of keys or designate L/C for less core.

NOTE: VIN option only compatible with H, R and J trim styles

VIT options only compatible with H, R, S, J & M trim styles

VIB option only compatible with H, R & J trim styles

OEM option is only compatible with H, R and S Trim Styles.

Decorative levers are considered special order items that may have extended lead times. Consult factory for lead times.

Available decorative levers: 50-53, 55, 60, 62-63, 65, 69, 75, 79-81, and 89

Universal locks can only be ordered with sectional (rose) trim. If escutcheon (J/M/N) trim is needed, order a three-part lock.

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Single Keyed:					
Latch	A, AT, D, R	1,046.00	1,046.00	1,034.00	961.00
Deadbolt	AB, B, BA, BW, T, TA, TD	1,075.00	1,075.00	1,063.00	990.00
Holdback	RHB	1,064.00	1,064.00	1,052.00	979.00
Hotel	H, HJ	N/A	N/A	1,184.00	1,111.00
Deadlock	AD, YD	472.00	472.00	460.00	387.00
Deadlock-Classroom	RD	530.00	530.00	518.00	445.00
Double Keyed:					
Latch	C, INL, W	1,217.00	1,217.00	1,193.00	1,047.00
Deadbolt	G, IND, S, INA	1,249.00	1,249.00	1,225.00	1,079.00
Holdback	CHB	1,249.00	1,249.00	1,225.00	1,079.00
Deadlock	WD	641.00	641.00	617.00	471.00
Keyless:					
Passage	N	N/A	N/A	N/A	760.00
Privacy (Latch)	LT	N/A	N/A	N/A	873.00
Privacy (Deadbolt)	L, LB	N/A	N/A	N/A	898.00
Exit	NX	N/A	N/A	N/A	873.00
Single Dummy	1DT	N/A	N/A	N/A	330.00
Double Dummy	2DT	N/A	N/A	N/A	584.00
Universal Functions					
Latch	UNR**	1,045.00	1,045.00	1,033.00	960.00
Deadbolt	UNT, UNAB**	1,064.00	1,064.00	1,052.00	979.00

*Patented pricing show is for CORMAX patented keying. Add \$20.00 for BEST Preferred patented keying.

** Not available on #17 levers.

Price includes lock case, faceplate and strike package. Refer to 45H for complete mortise cylinder pricing.

NOTE: 47H Series must be keyed at the factory unless the K option is ordered.

45H Series Mortise Locks (continued)

Mortise Locks

Extra Cost Options*	Option Code	Per Lock
Satin finishes (per lock)	606, 612, 613, 619 etc.	35.00
Bright finishes (per lock)	605, 611, 625, etc.	64.00
UltraShield antimicrobial finish	626AM, 630AM	67.00
Wrought trim	J	14.00
Thick door	Specify thickness	92.00
Tactile both levers/knobs**	TAC/B	129.00
Tactile outside lever/knob**	TAC/O	67.00
Tactile inside lever/knob**	TAC/I	67.00
Lead lined	LL	250.00
Forged trim	M, N	102.00
Security head screws	SH	24.00
7/8" Lip-to-center strike	7/8 LTC	24.00
Vandal trim - 630 finish***	VT	160.00
Vandal trim - other finishes***	VT	123.00
Visual Indicator****	VIN	48.00
Visual Indicator Thumb-Turn	VIT	75.00
Double Visual Indicator	VIB	122.00
12, 17 Lever Design	12, 17	72.00
Decorative Lever Design	50 to 91	227.00

Cost Deductions**	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	61.00
OEM - Service (Less lever/trim)*****	OEM	28.00

*Indicates extra cost option.

**Not available on #17 levers.

***Available only with #14 and #15 levers. Only #14 lever complies with California State Fire Marshal Code.

****VIN option only compatible with H, R and J Trim Styles.===

*****PRODUCT NOTE: The Stanley BHMA listed lock with trim from another manufacturer in this price book is not being offered as a BHMA listed product. Stanley cannot ensure the compatibility of our lock with any third party product and such products have not been tested as a combined unit. Please see Stanley warranty for further details.

47H Series High Security Mortise Lock

Mortise Locks

Federal Spec. 86

ANSI Series 1000

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
47H – Lever/ Knob – High Security mortise lock	7 – 7-pin housing accepts 5C core only	A – Office D – Storeroom R – Classroom T – Dormitory etc.	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50–91	H*** – 2-3/4" dia R*** – 2-3/4" dia S*** – 3-1/2" dia M – Forged	626 630 626AM* 630AM*	RH RHR LH LHR	7/8"* – 7/8" Lip-to-center strike K – Non UL cylinder LL* – Lead lined TAC/B* – Tactile both levers/knobs TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob Thick Door* – specify thickness if other than 1-3/4" VT* – Vandal Trim WS – Windstorm Label (NOA Miami-Dade County)

EXTRA COST OPTIONS* See 45H section.

** Indicates cost deduction, see 45H section. Must specify keymark and number of keys.

***To maintain the UL437 standard for high security locks, order only M trim. Using H, R or S trim does not meet the UL437 standard.

Function Description	Function Code	Patented*	Standard
Single Keyed:			
Latch	A, AT, D, R	1,282.00	1,274.00
Deadbolt	AB, B, BA, BW, T, TA, TD	1,319.00	1,311.00
Deadlock	AD, YD	801.00	793.00
Deadlock-Classroom	RD	863.00	855.00
Double Keyed:			
Latch	C, INL, W	1,567.00	1,551.00
Deadbolt	G, IND, S, INA	1,612.00	1,596.00
Deadlock	WD	1,100.00	1,084.00

*Patented pricing shown is for CORMAX M Series patented keying system only. Add \$20.00 for BEST Preferred Keying.

48H and 49H Series Mortise Deadlocks

How To Order

48H	7	K	626	
Series	Core Housing	Function Code	Finish	Options
48H – Standard 49H** – High security	0 – Less cylinder (48H only) 7 – 7-pin housing 48H accepts all BEST cores 49H accepts 5C core only	See below	622 626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 618 625 49H 626 630	K – IE7K4 high security cylinder (non UL) for 49H only LL* – Lead lined SH* – Security head screws Thick Door* – Specify thickness if other than 1-3/4" WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost option; see below.

**49H is keyed at the factory unless the K option is ordered.

NOTE: Must specify keymark and number of keys or designate L/C for less core.
 Security Head screws provided standard on 49H.

Function Description	Function Code	Patented*	Premium	Standard	Less Core
48H Series					
Single cylinder	K, L	468.00	468.00	456.00	383.00
Single cylinder - Classroom	R**	525.00	525.00	513.00	440.00
Double cylinder	M	632.00	632.00	608.00	462.00
49H Series					
Single cylinder	K, L	893.00	N/A	885.00	N/A
Single cylinder-Classroom	R**	954.00	N/A	946.00	N/A
Double cylinder	M	1,069.00	N/A	1,061.00	N/A

*Patented pricing shown is for CORMAX M Series patented keying system only. Add \$20.00 for BEST Preferred Keying.

For 49H, pricing reflects the 5C high security core for standard and the 5CM high security CORMAX core for patented.

**Handing (LH or RH) must be specified when ordering a "R" function. Indicate "LH" for LH/LHR door handing and "RH" for RH/RHR door handing.

Extra Cost Options*	Option Code	Add-On
Satin finishes	606, 612, 613, etc.	35.00
Bright finishes	605, 611, 625, etc.	64.00
UltraShield antimicrobial finish	626AM, 630AM	67.00
Security head screws (48H)	SH	24.00
Thick door (48H only)	Specify thickness	92.00
Lead lined	LL	250.00

40H Strike Packages

Federal Spec. 86

Mortise Locks

ANSI Series 1000

How To Order

40HST 1 626

Series	Kit number	Finishes	Options
40HST – Strike package	1 – Standard	605 606	Thick Door* – (specify thickness if other than 1–3/4") 7/8** – 7/8" lip-to-center strike SH* – Security head screws RH – Handing (required for 5,6 kit) LH – Handing (required for 5,6 kit)
	4 – Strike Box Only	611 612	
	5 – Latchbolt only	613 618	
	6 – Latchbolt/deadbolt	619 622	
		625 626	
		629 630	
		690	

*Indicates extra cost option.

Part Description	Part Number	Parts Price	Extra Cost Options*	Option Code	Add-On
Strike Packages			Thick door	Specify thickness	24.00
Standard strike package	40HST-1-626	44.00	7/8" Lip-to-center strike	7/8" LTC	24.00
Latchbolt-only strike package	40HST-5-626-RH	49.00	Security head screws	SH	24.00
Latchbolt/deadbolt strike package	40HST-6-626-LH	49.00			
Strike Packages					
Plastic strike box	40HST-4	3.00			
Wrought steel strike box	3126903	7.80			

40H Lever Sets

How To Order

40HLS 14 626

Series	Knob/lever style	Finishes	Options
40HLS – Lever set	Levers:	605 606	Thick door* – (specify thickness if other than 1-3/4") SH* – Security head screws
	3 – Solid tube/return	611 612	
	12* – Solid tube/no return	613 618	
	14 – Curved/return	619 622	
	15 – Contour/angle return	625 626	
	16 – Curved/no return	629 630	
	17* RH – Gull wing right hand	690	
	17* LH – Gull wing left hand	626AM*	
	50-91 – Decorative*	630AM*	
	Knobs:		
	4 – Round		

*Indicates extra cost option.

**Decorative lever design sets are not available.

Part Description	Part Number	Parts Price	Extra Cost Options*	Option Code	Add-On
Lever Sets			Thick door	Specify thickness	24.00
40H Lever Set #3 design	40HLS-3	351.00	Security head screws	SH	24.00
40H Lever Set #12 design	40HLS-12	436.00	UltraShield antimicrobial finish	626AM, 630AM	67.00
40H Lever Set #14 design	40HLS-14	351.00			
40H Lever Set #15 design	40HLS-15	351.00			
40H Lever Set #16 design	40HLS-16	351.00			
40H Lever Set #17 RH design	40HLS-17 RH	436.00			
40H Lever Set #17 LH design	40HLS-17 LH	436.00			
40H Decorative Lever Sets #50-91 designs	40HLS-XX*	610.00			
40H Knob Set #4 design	40HLS-4	351.00			

*Choose one decorative lever set design from #50-91

40H Replacement Spindles

Mortise Locks

Federal Spec. 86

ANSI Series 1000

How To Order

40HRS	2	
Series	Kit number	Options
40HRS - Replacement spindle kits	2 - 40H Standard spindle 4 - 40H Hook spindle	Thick door* - Specify thickness if other than 1 3/4"

*Indicates extra cost option.

Part Description	Part Number	Parts Price	Extra Cost Options*	Option Code	Add-On
REPLACEMENT SPINDLES			Thick door	Specify Thickness	24.00
40H Swivel spindle assembly	40HRS-2	44.00			
40H Hook spindle assembly	40HRS-4	80.00			

40H Screw Kits

How To Order

40HSK	1	626	
Series	Kit number	Finishes	Options
40HSK - Screw kits	1 - H, R, S, J trim screw kit 2 - M, N trim screw kit 3 - Special purpose fasteners screw kit 4 - Surface-mounted trim screw kit 5 - Visual indicator screw kit	606 612 613 622 626	Thick door* - Specify thickness if other than 1-3/4" SH* - Security head screws

*Indicates extra cost option.

Part Description	Part Number	Parts Price	Extra Cost Options*	Option Code	Add-On
Screw Kits			Thick door	Specify Thickness	24.00
H, R, S, J trim screw kit	40HSK-1	30.00	Security head screws	SH	24.00
M, N trim screw kit	40HSK-2	30.00			
Special purpose fasteners screw kit	40HSK-3	30.00			
Surface-mounted trim screw kit	40HSK-4	30.00			
Visual indicator screw kit	40HSK-5	30.00			

*Indicates extra cost option.

40H Faceplate Kits

Federal Spec. 86

ANSI Series 1000

How To Order

40HFP	3	626	
Series	Kit number	Finishes	Options
40HFP - Faceplate kit	0 - for function: AB 1 - for functions: BW, TD, H, HJ 2 - for function: A 3 - for functions: AT, D, C, INL, NX, R, W 4 - for functions: N, LT 5 - for functions: AD, RD, YD, WD 6 - Blank with logo 7 - for functions: BA, S, TA 8 - for functions: B, G, JND, L, LB, T 9 - for functions: CHB, RHB 10 - Blank without logo	605 606 611 612 613 618 619 622 625 626 629 630 690	SH* - Security head screws

*Indicates extra cost option.

Part Description	Parts Price	Extra Cost Options*	Option Code	Add-On
Faceplate Kits:		Security head screws	SH	24.00
All face plate kits	44.00			

*Indicates extra cost option.

40H Visual Indicator Thumb-Turn Kit

How To Order


40HVIT	626	1-3/4"
Series	Finishes	Door Thickness
40HVIT	605 612 613 626	1-3/4" Thick door* – Specify thickness if other than 1-3/4"

*Indicates extra cost option.

NOTE: Thick Door option available for doors up to 5" thick


Part Description	Part Number	Parts Price
Visual Indicator Thumb-Turn		
Sectional Visual Thumb-Turn Indicator (H, R & S Trims)	40HVIT	134.00
Escutcheon Visual Thumb-Turn Indicator (J & M Trims)	40HVIT	242.00

Extra Cost Options*	Option Code	Parts Price
Thick door	Specify Thickness	24.00
UltraShield antimicrobial finish	626AM, 630AM	67.00



40H Indicator Laminate Kit

Part Description	Part Number	Parts Price
Visual Indicator Laminate		
Visual Indicator Laminate (for Thumb-Turn)	86329	23.00



J Series Semi-Trailer Kingpin Locks

Auxiliary Locks

How To Order

Series	Core Housing	Latch Type	Head Type	Armored Front	Options
2J	7	L	1	-	
2J – Standard body	7 – 7-pin housing; accepts all BEST cores	L – Latch (Spring Return) D – Deadlocking Bolt	1 – Single Head Unit 2 – Double Head Unit	1 – Armored Front "-" – No Armored Front	TA* – Extended face without armored front

*TA option not compatible with Armored Front Head type option '1'


Must specify keymark and number of keys or designate L/C for less core.

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium**	Standard	
Single latch	L1	916.00	916.00	904.00	831.00
Double latch	L2	1,344.00	1,344.00	1,320.00	1,174.00
Single deadbolt	D1	884.00	884.00	872.00	799.00
Double deadbolt	D2	1,299.00	1,299.00	1,275.00	1,129.00


*If TA option is not included, only CORMAX M Series patented keying system can be used and pricing shown applies. If TA option is included, BEST Preferred keying system can be used and \$20.00 must be added to pricing shown. **Applicable only if TA option is included.

Part Description	Catalog Number	Price
Storage Racks:		
Three post mount	2J0R3	546.00
Three post—cad. plated	2J0R3C	684.00
Five post mount	2J0R5	915.00
Five post—cad. plated	2J0R5C	1,020.00

NOTE: Patented or Premium core is available in J Series with the TA option only.



2J7L1



2J7L2

6K Series Grade 2 Cylindrical Locks - Knobs

Cylindrical Locks

Federal Spec. 160

ANSI Series 4000


How To Order

6K	3	7	AB	4	C	STK	626	
Series	Backset	Core Housing	Function Code	Knob Style	Trim Style	Strike Package	Finish	Options
6K	2 – 2-3/8" 3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0 – Keyless 7 – 7-pin housing; accepts all BEST cores	See below	4 – Round 6 – Tulip	C – 2-9/16" D* – 3-3/8" Rose	STK – Standard S3 – ANSI LS – Less strike	626 Satin* 606 612 613 Bright* 605 611 625	KNL* – Knurled knobs (keyed knob only) L8 – Drive-in latch NF – Narrow face latch (std with 62K) WF – Wide face latch (std with 63K)


*Indicates extra cost option; see below. Must specify keymark and number of keys

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Single Keyed:					
Office	AB	347.00	347.00	335.00	262.00
Storeroom	D	347.00	347.00	335.00	262.00
Service station	E	347.00	347.00	335.00	262.00
Classroom	R	347.00	347.00	335.00	262.00
Keyless:					
Passage	N	N/A	N/A	N/A	158.00
Exit	Y	N/A	N/A	N/A	158.00
Privacy	L	N/A	N/A	N/A	211.00
Hospital privacy	LL	N/A	N/A	N/A	211.00
Patio	P	N/A	N/A	N/A	211.00
Single dummy trim	1DT	N/A	N/A	N/A	87.00
Double dummy trim	2DT	N/A	N/A	N/A	168.00


*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.



4D*



6C



6D*

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	21.00
Bright finishes (per lock)	605, 611, 625, etc.	47.00
Special backset	64K / 65K	12.00
Knurled keyed knob	KNL	26.00
3-3/8" Rose	D	21.00

Part Description	Part Number	Part Price
2-3/8" deadlocking latch	6KL2	48.00
2-3/4" deadlocking latch	6KL3	48.00
3-3/4" deadlocking latch	6KL4	56.00
5" deadlocking latch	6KL5	56.00
2-3/8" drive-in latch	6KL2-8	48.00
2-3/4" drive-in latch	6KL3-8	48.00
Standard strike package	7KCS2	8.60
ANSI strike package	7KCS3	26.00
Standard throw member	3125559	18.00
Standard strike box	B25640	5.20

7KC Series Grade 2 Cylindrical Locks - Levers

Cylindrical Locks

Federal Spec. 160

ANSI Series 4000

How To Order

7KC	3	7	AB	15	D	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Trim Style	Strike Package	Finish	Options
7KC	2 – 2-3/8" 3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0 – Keyless 6 – 6-pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	See below	14 – Curved return 15 – Contour angle return 16 – Curved no return	D – 3-1/2"	STK – Standard S3 – ANSI	626 Satin* 606 612 613 Bright* 605 625	L8 – Drive-in latch (only available on 2-3/8" and 2-3/4" backset) OB** – Zero bitted KA** – Keyed alike KD** – Keyed different OEM*** – Orig equipment mfg ATB – Alternate through-bolt NF – Narrow face latch

*Indicates extra cost option

**Six-pin cylinder in Schlage "C" keyway included with OB, KA, & KD options. Must specify 6 for core housing.

***Cylinders not included with OEM option. Must specify "0" for core housing.

Function Description	Function Code	Complete With Combined Core			Less Core	Non-IC Cylinder OB, KA, KD
		Patented*	Premium	Standard		
Single Keyed:						
Entrance	AB	408.00	408.00	396.00	323.00	379.00
Storeroom	D	408.00	408.00	396.00	323.00	379.00
Classroom	R	408.00	408.00	396.00	323.00	379.00
Keyless:						
Passage	N	N/A	N/A	N/A	237.00	N/A
Exit	Y	N/A	N/A	N/A	230.00	N/A
Privacy	L	N/A	N/A	N/A	260.00	N/A
Single dummy trim	IDT	N/A	N/A	N/A	106.00	N/A

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	612, 613, etc.	21.00
Bright finishes (per lock)	605, 625, etc.	47.00
Special backset	74KC / 75KC	12.00

Part Description	Part Number	Part Price
2-3/8" deadlocking latch	7KCL2	48.00
2-3/4" deadlocking latch	7KCL3	48.00
3-3/4" deadlocking latch	6KL4	56.00
5" deadlocking latch	6KL5	56.00
Standard strike package	7KCS2	8.60
ANSI strike package	7KCS3	26.00
Standard strike box	B25640	5.20

8K Series Grade 1 Cylindrical Locks - Knobs

Cylindrical Locks

Federal Spec. 160

ANSI Series 4000

How To Order

8K	3	7	AB	4	D	STK	626	
Series	Backset	Core Housing	Function Code	Knob Style	Rose Style	Strike Package	Finish	Options
8K	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0 – Keyless 7 – 7-pin housing; accepts all BEST cores	See below	4 – Round 6 – Tulip	A – 3-3/8" concave C – 2-9/16" concave D – 3-3/8" convex E – 3-3/8" concave – thick door	STK – Standard S3 – ANSI S3 7/8* – 7/8" lip-to-center strike LS – Less strike S5 S6	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625	3/4* – 3/4" throw BRK – Break-away (keyed only) FRL* – Full radius latch LL* – Lead lined (not available in double keyed functions) SH* – Security head screws SPN – Spin free (D & W only) TAC/B* – Tactile both knobs TAC/O* – Tactile outside knob TAC/I* – Tactile inside knob

*Indicates extra cost option; see below. Must specify keymark and number of keys.

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Single Keyed:					
Entrance	AB	820.00	820.00	808.00	735.00
Storeroom	D	820.00	820.00	808.00	735.00
Service station	E	820.00	820.00	808.00	735.00
Classroom	R	820.00	820.00	808.00	735.00
Dormitory	T	820.00	820.00	808.00	735.00
Special	Note**	820.00	820.00	808.00	735.00
Hotel (SPN-standard)	H, HJ	887.00	887.00	875.00	802.00
Double Keyed:					
Corridor	C	854.00	854.00	830.00	684.00
Storeroom	G	854.00	854.00	830.00	684.00
Communicating	S	854.00	854.00	830.00	684.00
Institutional	W	854.00	854.00	830.00	684.00
Special	DR, RD	854.00	854.00	830.00	684.00
Keyless:					
Passage	N, NX	N/A	N/A	N/A	554.00
Exit	Y	N/A	N/A	N/A	554.00
Privacy	L	N/A	N/A	N/A	637.00
Patio	P	N/A	N/A	N/A	637.00
Special	LL, M, Q, Z	N/A	N/A	N/A	637.00
Single dummy trim	IDT	N/A	N/A	N/A	239.00
Double dummy trim	2DT	N/A	N/A	N/A	478.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

**Single-keyed special functions include: A, B, DZ, EA, RH, RZ, XD, XR, YD, YR, YRH, YRM and YZ

ATTENTION: Locksets that secure both sides of the door (e.g., G, DR, M, RD, S, W, XD, YD & YR functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.


8K Series Grade 1 Cylindrical Locks (continued)

Cylindrical Locks

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	21.00
Bright finishes (per lock)	605, 611, 625, etc.	47.00
UltraShield antimicrobial finish	626AM	65.00
3/4" throw latch	3/4	35.00
Special backsets	84K / 85K	23.00
Lead lined	LL	245.00
Security head screws	SH	24.00
Tactile knob both sides	TAC/B	91.00
Tactile knob outside	TAC/O	47.00
Tactile knob inside	TAC/I	47.00
7/8" Lip-to-center strike	S3 7/8	24.00
Full radius latch	FRL	23.00

Parts Description	Part Number	Part Price
2-3/4" deadlocking latch	8KL3	86.00
3-3/4" deadlocking latch	8KL4	108.00
5" deadlocking latch	8KL5	108.00
Standard strike package	8KS2	8.40
ANSI strike package	8KS3	26.00
Throw member 7-pin	B54200	2.00
Breakaway knob driver	B54856	9.30

NOTE 1: Other special single keyed functions include: A, B, EA, DZ, RZ, XD, XR, YD & YR.
 ATTENTION: Locksets that secure both sides of the door (e.g. G, DR, M, RD, S, W, XD, YD & YR functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.



4 – Round



6 – Tulip



4 – TAC option
 (Blind, safety, & handicapped application)



A and C Rose
 (Concave)



D Rose
 (Convex)

9K Series Grade 1 Cylindrical Locks - Levers

Cylindrical Locks

Federal Spec. 160

ANSI Series 4000

How To Order

9K	3	7	AB	14	C	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9K	3 – 2-3/4" 4* – 3-3/4" 5* – 5" DT – Dummy Trim	0 – Keyless functions / or / Non-IC and LFIC competitive cylinder (less core) [†] 6 – 6-pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	See below (Contact sales support for special functions and pricing.)	14 – Curved with return 15 – Contour angle with return 16 – Curved without return	C – 3" convex D – 3-1/2" convex K – 3" convex no ring L – 3-1/2" convex no ring	STK – Standard S3 – ANSI S3 7/8** STK 7/8*** LS – Less strike S3B* – ANSI (Strike w/ Plastic Box) S3B 7/8* – ANSI (Strike w/ Plastic Box)	626 690 622 626AM* Satin* 606 612 613 619 Bright* 605 611 625 618	3/4* – 3/4" throw latch AL/B* – Abrasive lever both sides AL/O* – Abrasive lever outside AL/I* – Abrasive lever inside TL/B* – Tactile lever both sides TL/O* – Tactile lever outside TL/I* – Tactile lever inside ATB – 2-3/4" Through bolt Prep ATB2 – 2-5/8" Through bolt prep FRL* – Full radius latch LL* – Lead lined (N/A for double keyed functions) LM – Lost motion SH* – Security head screws Thin Door* – 1-3/8" OB* – non-IC zero bitting KA* – non-IC keyed alike KD* – non-IC keyed different COR* – non-IC Corbin–Russwin MED* – non-IC Medeco SAR* – non-IC Sargent SCH* – non-IC Schlage YAL* – non-IC Yale SARRC – LFIC Sargent CORRC – LFIC Corbin YALRC – LFIC Yale SCHRC – LFIC Schlage WS – Windstorm Label (NOA Miami–Dade County)

*Indicates extra cost. Must specify keymark and number of keys.
**S3 7/8 is the ANSI flat lip strike
***STK 7/8 is the standard flat lip strike

COR, MED, SAR, SCH: Chose only one option: OB, KA, KD; use with core housing option 6
SCHRC, CORRC, SARRC, YALRC: Use with core housing option 0

Function Description	Function Code	Complete With Combined Core			Less Core	Non-IC Cylinder OB, KA, KD
		Patented*	Premium	Standard		
Single Keyed:						
Entrance	AB	775.00	775.00	763.00	690.00	746.00
Storeroom	D	775.00	775.00	763.00	690.00	746.00
Service station	E	775.00	775.00	763.00	690.00	746.00
Classroom	R	775.00	775.00	763.00	690.00	746.00
Dormitory	T	775.00	775.00	763.00	690.00	746.00
Special**	Note	775.00	775.00	763.00	690.00	746.00
UA	UA	775.00	775.00	763.00	690.00	746.00
Hotel	H, HJ	843.00	843.00	831.00	758.00	814.00
Double Keyed:						
Corridor	C	925.00	925.00	901.00	755.00	867.00
Storeroom	G	925.00	925.00	901.00	755.00	867.00
Intruder***	IN	957.00	957.00	933.00	787.00	899.00
Communicating	S	957.00	957.00	933.00	787.00	899.00
Institutional	W	957.00	957.00	933.00	787.00	899.00
Special	DR, RD	957.00	957.00	933.00	787.00	899.00
Keyless:						
Passage	N, NX	N/A	N/A	N/A	482.00	N/A
Exit	Y	N/A	N/A	N/A	482.00	N/A
Privacy	L	N/A	N/A	N/A	555.00	N/A
Patio	P	N/A	N/A	N/A	555.00	N/A
Special	LL, M, Q, Z	N/A	N/A	N/A	555.00	N/A
Single dummy trim	1DT	N/A	N/A	N/A	205.00	N/A
Double dummy trim	2DT	N/A	N/A	N/A	401.00	N/A

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

**Single-keyed special functions include: A, B, DZ, EA, RH, RZ, XD, XR, YD, YR, YRH, YRM and YZ
***IN Function includes interior indicator rose standard

9K Series Grade 1 Cylindrical Locks (continued)

Cylindrical Locks

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	21.00
Bright finishes (per lock)	605, 625, 629, etc.	47.00
UltraShield antimicrobial finish	626AM	65.00
Thin door 1-3/8"	1-3/8"	87.00
3/4" throw latch	3/4	35.00
Special backsets	94K / 95K	23.00
Lead lined	LL	245.00
Security head screws	SH	24.00
Abrasive lever both sides	AL/B	47.00
Abrasive lever outside	AL/O	24.00
Abrasive lever inside	AL/I	24.00
Tactile lever both sides	TL/B	91.00
Tactile lever outside	TL/O	47.00
Tactile lever inside	TL/I	47.00
7/8" Lip-to-center strike	S3 7/8 or STK 7/8	24.00
Strike with plastic box	S3B or S3B 7/8	24.00
Full radius latch	FRL	23.00

*Choose only one option. OB, KA, KD-use with core housing option 6. COR, MED, SAR, SCH, YAL, SCHRC-use with core housing option 0

Extra Cost Options*	Option Code	Add-On
Non-IC Corbin-Russwin (single keyed)	COR	7.20
Non-IC Corbin-Russwin (double keyed)	COR	17.00
Non-IC Medeco (single keyed)	MED	7.20
Non-IC Medeco (double keyed)	MED	17.00
Non-IC Sargent (single keyed)	SAR	7.20
Non-IC Sargent (double keyed)	SAR	17.00
Non-IC Schlage (single keyed)	SCH	7.20
Non-IC Schlage (double keyed)	SCH	17.00
Non-IC Yale (single keyed)	YAL	7.20
Non-IC Yale (double keyed)	YAL	17.00

NOTE: These options do not come with a cylinder. The lock is just prepped for cylinders of these other manufacturers and comes with a throw member for that manufacturer's cylinder.


Part Description	Part Number	Part Price
2-3/4" deadlocking latch	8KL3	86.00
3-3/4" deadlocking latch	8KL4	108.00
5" deadlocking latch	8KL5	108.00
Standard strike package	8KS2	8.40
ANSI strike package	8KS3	26.00
Throw member 7-pin	B54200	2.00

NOTE 1: Other special single keyed functions include: AB, EA, DZ, RZ, XD, XR, YD & YR.
 ATTENTION: Locksets that secure both sides of the door (e.g. G, DR, M, RD, S, W, XD, YD & YR functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.


Adapttion Kit

9KA	SCHRCKT		Price
Family	Kit Type	Lever Style	Finish
9KA – Adaptation Kit	SCHRCKT – Schlage RC Adaptation Kit	14 – Curved return 15 – Contour angle return 16 – Curved no return	606, 626, 612, 613 99.00


NOTE: Lever Style 16 is considered a special order item and may have extended lead times. Consult factory for lead times.




14 – Curved return




15 – Contour angle return



C and D Roses



16 – Curved no return



15 – Non IC contour angle return



K and L Roses

AK Series Knob Adaptations (formerly KA series)

How To Order

Series	Adaptation Kit Number	Finish
AK	Please contact BEST for the specific kit number to convert your heavy duty lockset. The name of the manufacturer and model number are required.	626


Must specify keymark and number of keys.

Manufacturer's Name	Complete With Combined Core			Less Core Price
	Patented*	Patented*	Premium	
Corbin	261.00	261.00	249.00	176.00
Sargent	287.00	287.00	275.00	202.00
Schlage	236.00	236.00	224.00	151.00
Russwin	261.00	261.00	249.00	176.00
Yale	287.00	287.00	275.00	202.00


Installation at BEST Factory 75.00

Kit Components	Knob Only Less Core	Throw Member
Corbin	151.00	39.00
Sargent	172.00	27.00
Schlage	126.00	24.00
Russwin	147.00	39.00
Yale	172.00	32.00


*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.



Schlage round



Schlage tulip



Schlage throw member

L Series Cabinet Locks

Cabinet, Push and Siding

How To Order

5L	7	R	D	2	606	
Series	Core Housing	Mounting Type	Latch Type	Hand	Finish	Options
3L – Coin box	5 – 5-pin housing 6 – 6-pin housing 7 – 7-pin housing; accepts all BEST cores	R – Rim	D – Dead-locking	2 – Vertical	626 690 Satin* 606 612 613 619	1-1/8" to 2"* – Special cylinder (specify length)
5L – Standard		M – Mortise R – Rim	D – Dead-locking L – Latchbolt	2 – Vertical 5 – Inverted	Bright* 605 611 625	T – Deadlocking SL* – Square Latch, spring loaded TR – Special trim ring A450 – Special strike A451 – Special strike A452 – Special strike A453 – Special strike

*Indicates extra cost option; see below. Must specify keymark and number of keys.


Description	Series	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Cabinet Locks					
Cabinet—mortise & rim	3L	196.00	196.00	184.00	111.00
Cabinet—mortise & rim	5L	166.00	166.00	154.00	81.00

Extra Cost Options*	Option Code	Add-On
Square latch spl. cylinder	SL	22.00
Special cylinders-3L	1-1/2" to 2"	24.00
Special cylinders-5L	1-1/8" to 2"	24.00
Special finishes	See above	6.10


Description	Series	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
8I Series Mail Box Lock					
Standard mail box lock	8L7SPR-627	223.00	223.00	211.00	138.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.


NOTE: You must specify the name of the manufacturer and the model number.



5L7RD2



5L7MD



3L7RD2 - Vertical Only

P Series Push Locks

Cabinet, Push and Siding


How To Order

2P	7	3	626
Series	Lock Body	Mounting slot	Finish
2P – File cabinet	7 – 7-pin body may be keyed 6-pin	3 – Vertical 4 – Horizontal	606 626


Description	Catalog No.	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
2P Series					
Vertical mounting slot	2P73	221.00	221.00	209.00	136.00
Horizontal mounting slot	2P74	221.00	221.00	209.00	136.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

NOTE: You must specify the name of the manufacturer and the model number.



2P73



2P74

S Series Sliding Door Locks

Cabinet, Push and Sliding

How To Order

3S	7	5	627	
Series	Core housing	Function code	Finish	Options
2S – Sliding door push 3S – Sliding panel 4S – Sliding door cyl.	7 – 7-pin housing; accepts all BEST cores (4S requires 6C core)	See below	2S – 626, 605, 606, 622, 625 4S – 625, 605, 606, 626 3S – 627	3S – Strike straps: S1* – 1/4" thick S2* – Standard 1/4" S3 – 5/16" to 1/2" S4 – 1/2" to 11/16" S5 – 3/4" & thicker

*Included in the price of the housing.

Function Description	Catalog Number	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
2S Series					
Surface mount–1/2" bolt	3	292.00	292.00	280.00	207.00
Through bolt–1/2" bolt	3TBM	353.00	353.00	341.00	268.00
Through bolt–3/4" bolt	4TBM	353.00	353.00	341.00	268.00
Surface mount–bolt pin	5	353.00	353.00	341.00	268.00
3S Series					
Straight housing	5	246.00	246.00	234.00	161.00
Captured panel housing	7	246.00	246.00	234.00	161.00
Housing with 1" extension	8	324.00	324.00	312.00	239.00
4S Series					
Sliding glass door cylinder	3	172.00	172.00	160.00	87.00
Sliding wood door cylinder	4	188.00	188.00	176.00	103.00

* Patented pricing shown is for CORMAX patented keying system. Add\$20.00 for BEST Preferred patented keying.

** Lock requires 6C core (not available with Peaks or Preferred keying).

Function Description	Par Number	Separate	With Lock Add-On
3S Strike Straps			
4-1/4" long for 1/4" panel	3SS1	27.00	N/A
6-1/4" long for 1/4" panel	3SS2	33.00	N/A
Standard			
6-1/4" long for 5/16" to 1/2"	3SS3	47.00	19.00
6-1/4" long for 1/2" to 11/16"	3SS4	56.00	28.00
6-1/4" long for 3/4" or thicker	3SS5	43.00	7.70

SPSL – Secure Patient Safety Lever

How To Order – Mortise Safety Levers

SPSL	ML	R	16F	630	RH	
Series	Chassis	Function	Lever	Finish	Hand	
SPSL – Secure Patient Safety Lever	ML – Mortise	A – Office privacy	W3 – Asylum deadbolt lever/lever	16F – Anti-ligature lever	630 – Satin stainless steel	RH LH RHR LHR
		D – Storeroom	W4 – Asylum deadbolt double cyl lever/lever			
		IND – Intruder deadbolt	W10 – Asylum lever/blank			
		IND2 – Intruder storeroom dblt	W20 – Asylum double cyl lever/blank			
		INL – Intruder latch	W30 – Asylum deadbolt lever/blank			
		LT – Bathroom privacy	W40 – Asylum deadbolt double cyl lever/blank			
		LTF – Bedroom privacy (Anti-Lockout)				
		R – Classroom				
		RF – Bedroom privacy				
		T – Dormitory deadbolt				
		W1 – Asylum lever/lever				
		W2 – Asylum double cyl lever/lever				

Product Description	Function Code	Price*
Mortise Safety Lever		
Office privacy	A	1,841.00
Storeroom	D	1,697.00
Intruder deadbolt	IND	1,697.00
Intruder storeroom deadbolt	IND2	1,697.00
Intruder latch	INL	1,697.00
Bathroom privacy	LT	1,841.00
Passage	ON	1,553.00
Bedroom privacy (RF)	RF	1,841.00
Bedroom privacy Anti-Lockout (LTF)	LTF	1,841.00
Classroom	R	1,697.00
Dormitory deadbolt	T	1,697.00
Asylum lever/lever	W1	1,697.00
Asylum double cyl lever/lever	W2	1,697.00
Asylum deadbolt lever/lever	W3	1,697.00
Asylum deadbolt double cyl lever/lever	W4	1,697.00
Asylum lever/blank	W10	1,697.00
Asylum double cyl lever/blank	W20	1,697.00
Asylum deadbolt lever/blank	W30	1,697.00
Asylum deadbolt double cyl lever/blank	W40	1,697.00

How To Order – Cylindrical Safety Levers

SPSL	CL	ON	16F	630	RH
Series	Chassis	Function	Lever	Finish	Hand
SPSL – Secure Patient Safety Lever	CL – Cylindrical 2-3/4" backset	ON – Cylindrical passage	16F – Anti-ligature lever	630 – Satin stainless steel	RH LH RHR LHR
	CL5 – Cylindrical 5" backset	ONX – Cylindrical passage blank interior			

Product Description	Function Code	Price
Cylindrical Safety Lever		
Passage	ON	1,350.00
Passage blank interior	ONX	1,350.00
Dummy Trim		
Dummy Trim	DT	752.00

SPSL – Secure Patient Safety Lever (continued)

Part Description	Kit Number	List Price
Cylindrical Security head screw kit	SPSL-SH C1	21.00
Mortise Security head screw kit	SPSL-SH MI	21.00
Security head driver kit	SPSL-SH DI	21.00
Turnpiece Disable kit for Female Privacy Locks	SPSL-TD	128.00
Cylinder Protector for IC core cylind. SPSL (incl. 2 keys)	SPSL-CP-IC	892.00
Cylinder Protector for non-IC cylind. SPSL (incl. 2 keys)	SPSL-CP-NIC	892.00
Extra magnetic key for SPSL-CP	SPSL-CP-K	37.00

How To Order – Electrified Mortise Safety Levers

SP	SE	ML	R	N	L	630	RH			
Series	Electric Release Trim(s)			Chassis	Interior Trim Blank	Function Group			Finish	Hand
	Designation	Exterior	Interior			RQE	DPS	LPS		
SP – Secure Patient Safety	SE	Electric Release Trim (Fail Secure)	Mechanical	ML – Mortise	'leave empty' – if interior trim required (standard) X** – No trim on the interior, just a blank plate (SPSE or SPSF only)	R* – Request to Exit N – Place-holder if RQE not selected	D* – Door Position N – Place-holder if DPS not selected	L* – Latch Position N – Place -holder if LPS not selected	630 – Satin Stainless Steel	RH LH RHR LHR
	SF	Electric Release Trim (Fail Safe)	Mechanical							
	S3	Electric Release Trim (Fail Secure)	Electric Release Trim (Fail Secure)							
	S4	Electric Release Trim (Fail Safe)	Electric Release Trim (Fail Safe)							

*Indicates extra cost option.
**Option only available for SPSE and SPSF trims. Security hardware comes standard.

Function Description	Function Code	Price*
SPSE - Exterior Release Trim (Fail Secure)	NNN†	2,676.00
SPSF - Exterior Release Trim (Fail Safe)	NNN†	2,795.00
SPS3 - Exterior/Interior Release Trim (Fail Secure)	NNN†	2,743.00
SPS4 - Exterior/Interior Release Trim (Fail Safe)	NNN†	2,795.00

Extra Cost Options*	Option Code	Add-On
Function Code (RQE)	R	59.00
Function Code (DPS)	D	87.00
Function Code (LPS)	L	59.00

†Indicates extra cost options for RQE, DPS or LPS functions.
*Standard offering is less cylinder and less core.
*Patented pricing shown is for CORMAX patented keying system.
Add \$20 for Best Preferred patented keying. †Indicates extra cost options for RQE, DPS or LPS functions.

SSRL - Secure Seclusion Room/Time Out Room Locks

Specialty Hardware

Product Description	Product Number	Price
3-Point constant supervision	SSRLS-3	2,158.00
3-Point unsupervised	SSRLU-3	2,307.00
Alum. angled strike kit for 3 point outswing doors	SSRL-SK3	538.00
Single point constant supervision	SSRLS-1	1,275.00
Single point constant supervision, includes strike kit for outswing doors	SSRLS-1-SK1	1,330.00
Single point unsupervised	SSRLU-1	1,421.00
Single point unsupervised, includes strike kit for outswing doors	SSRLU-1-SK1	1,478.00
Strike kit for single point outswing doors	SSRL-SK1	59.00
3-Point constant supervision w/ digital counter	SSRLS-3-C	2,366.00
3-Point unsupervised w/ digital counter	SSRLU-3-C	2,513.00

SPECIAL NOTE: Normal discount structure does NOT apply to list prices on this page. Obtain net price quotes from your local Stanley Sales Representative.

SEDA – Secure Emergency Door Alarm

Specialty Hardware

Product Description	Product Number	Price
Sensor - 36" to 42" wide door	SEDA-DSA-P1	945.00
Sensor - 42" to 48" wide door	SEDA-DSA-P2	1,018.00
12 Door controller/power supply	SEDA-CPS-1A52-12	2,936.00
24 Door controller/power supply	SEDA-CPS-1A52-24	5,158.00
36 Door controller/power supply	SEDA-CPS-1A52-36	7,378.00
48 Door controller/power supply	SEDA-CPS-1A52-48	10,343.00
Second console output	SEDA-CPS-MOD-CONS-2	343.00
12 Door LED console	SEDA-DCRS-12	1,869.00
24 Door LED console	SEDA-DCRS-24	3,113.00
36 Door LED console	SEDA-DCRS-36	4,358.00
48 Door LED console	SEDA-DCRS-48	7,985.00
12 Door LED Wall Console	SEDA-WCRS-12	2,668.00
24 Door LED Wall Console	SEDA-WCRS-24	4,089.00
36 Door LED Wall Console	SEDA-WCRS-36	5,725.00
Wall mounted keyswitch	SEDA-KSI01	343.00
Strobe light ceiling mount	SEDA-SL1	162.00
Strobe light ceiling mount w/ steel mounting plate	SEDA-SL2	200.00
Full surface angled alum. hinge modified for new or existing hinges	SEDA-ECHFS-MH-AL-4	1,107.00
Splice box for room w/ multiple doors	SEDA-SPLB-1	200.00

SPECIAL NOTE: Normal discount structure does NOT apply to list prices on this page. Obtain net price quotes from your local Stanley Sales Representative.

T Series Tubular Deadbolts

Tubular Locks

Federal Spec. 180, 181

NOTE: 8T=ANSI/BHMA Grade 1 · 7T=ANSI/BHMA Grade 2

How To Order

8T/7T	3	7	K	STK	606	
Series	Backset	Core Housing	Function Code	Strike	Finish	Options
8T 7T	2 – 2-3/8" 3 – 2-3/4"	7 – 7-pin housing; accepts all BEST cores	See below	STK – Std deadbolt S1 – ANSI deadbolt S4 – Lip deadbolt S5* – High security deadbolt (only available in 630 finish)	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625 (8T only) 7T 626 612	CS* – Concealed screws D5 – Drive-in bolt (8T only) LL* – Lead lined (8T only) NF – Narrow face 1" on 8T3 (std. on 8T2) WF – Wide face 1-1/8" on 8T2 (std. on 8T3) SH* – Security head screws (8T only) Thick Door* – specify thickness (8T only) Thin Door* – specify thickness (8T only)

*Indicates extra cost option; see below.

Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
8T Deadbolts					
Single-keyed—turnknob	K	311.00	311.00	299.00	226.00
Single-keyed—no turnknob	L	311.00	311.00	299.00	226.00
Non-keyed—turnknob	KL	N/A	N/A	N/A	187.00
Double-keyed—CS-standard	M	467.00	467.00	443.00	297.00
Single-keyed—classroom	S	311.00	311.00	299.00	226.00
7T Deadbolts					
Single-keyed—turnknob	K	227.00	227.00	215.00	142.00
Single-keyed—no turnknob	L	227.00	227.00	215.00	142.00
Double-keyed	M	370.00	370.00	346.00	200.00

* Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for Best Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	27.00
Bright finishes (per lock) (8T only)	605, 611, 625, etc.	27.00
UltraShield antimicrobial finish (8T only)	626AM, 630AM	42.00
Concealed screws (8T only)	CS	48.00
Lead lined (8T only)	LL	175.00
High security strikes	S5	39.00
Security head screws (8T only)	SH	24.00
Thick door (8T only)	Specify thickness	41.00
Thin door (8T; M function only)	Specify thickness	41.00

ATTENTION: Locksets that secure both sides of the door (e.g. L and M functions) and their use is controlled by building codes and the Life Safety Code. Delay in unlocking for emergency exit could be hazardous or even fatal.

Part Description	Part Number	Part Price
2-3/8" Deadbolt tube	8TD2B	53.00
2-3/4" Deadbolt tube	8TD3B	53.00
2-3/8" Drive-in bolt	8TD25	53.00
2-3/4" Drive-in bolt	8TD35	53.00
Std. deadbolt strike pkg.	8TSSTK	9.30
ANSI deadbolt strike pkg.	8TS1	30.00
Deadbolt lip strike pkg.	8TS4	9.30
High security strike pkg. / deadbolt	8TS5*	54.00

* 8TS5 only available in 630 finish

W Series Electric Switch Locks

Electromechanical Locks

How To Order

Series	Core Housing	Function code	Finish	Optional Box**
IW	7 – 7-pin housing; accepts all BEST cores	See below	626 690 Satin* 606 612 613 619 Bright* 605 611 625	See below

*Indicates extra cost option; see below.

**Not all boxes are compatible with all switch locks. See the catalog for details.

Function Description	Switch Type	Key Position 2***	Key Position 3***	Function Code	Complete With Combined Core			Less Core
					Patented*	Premium	Standard	
Maintained Switch Locks								
Low voltage	SPDT	3 o'clock	N/A	A1	283.00	283.00	271.00	198.00
Single switch	SPDT	2 o'clock	N/A	B1	252.00	252.00	240.00	167.00
Single switch	SPDT	12 o'clock	N/A	B2	252.00	252.00	240.00	167.00
Single switch	SPST	5 o'clock	12 o'clock	C2**	339.00	339.00	327.00	254.00
Toggle switch	DPST	2 o'clock	N/A	D2	311.00	311.00	299.00	226.00
Toggle switch	TPDT	3 o'clock	9 o'clock	E2	316.00	316.00	304.00	231.00
Toggle switch	SPDT	2 o'clock	12 o'clock	L2	345.00	345.00	333.00	260.00
Dual switch	2 SPDT	3 o'clock	N/A	J1	332.00	332.00	320.00	247.00
Dual switch	2 SPDT	12 o'clock	N/A	J2	373.00	373.00	361.00	288.00
Momentary Switch Locks								
Single switch	SPDT	2 o'clock	12 o'clock	B3	283.00	283.00	271.00	198.00
Dual switch	2 SPDT	2 o'clock	12 o'clock	J3	332.00	332.00	320.00	247.00
Toggle switch	DPDT	2 o'clock	10 o'clock	K4	332.00	332.00	320.00	247.00
Dual switch	2 SPDT	2 o'clock	10 o'clock	P4	311.00	311.00	299.00	226.00
Quad switch	4 SPDT	2 o'clock	10 o'clock	R4	326.00	326.00	314.00	241.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

**Supplied with OC1 box only (included in price).

***Key position 1 for all switch locks is 12 o'clock except for the C2 function which is at 7 o'clock and the L2 function which is at 10 o'clock position.
For all switch locks, the key is removable in the 12 o'clock position only.

Extra Cost Options*/Optional Boxes

Description	Code	Price
Satin finishes	606, 612, 613 etc.	5.10
Bright finishes	605, 611, 625 etc.	6.80
Interior box	INT	60.00
Standard octagon center mount	OC1	59.00
Deep octagon offset mount	OC2	99.00
Standard weather resistant box	SWR	312.00

Parts

Function Code	Replacement Switch #	Price
A1	S4A	51.00
B1, B2, B3, J1, J2, J3, P4, & R4	S4B	20.00
C2	S4C	90.00
D2	S4D	33.00
E2	S4E	79.00
K4	S4K	79.00
L2	S4L	68.00

8KW/9KW Series Electromechanical Cylindrical Locks

Electromechanical Locks

How To Order

8KW	3	7	DEL	4	C	STK	626	
Series	Backset	Core Housing	Function Code	Knob Style	Rose Style	Strike Package	Finish	Options
8KW	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	7 – 7-pin housing; accepts all BEST cores	DEL** – Electrically locked DEU** – Electrically unlocked	4 – Round 6 – Tulip	C – 3" convex D – 3-1/2" convex K – 3" convex L – 3-1/2" convex	STK – Standard S3 – ANSI	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 625	BRK – Break-away (keyed only) C* – Pre-Terminated Quick Connect Plug LL* – Lead lined SH* – Security head screws 3/4* – 3/4" throw RQE* – Request to Exit Thin Door* – 1-3/8" TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both 12V – Specify 12V System: Standard voltage is 24V

* Indicates extra cost, see below.

** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

+ See Stanley Hinges & Door Accessories price book for Wire Harness product

9KW	3	7	DEL	15	C	S3	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KW	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** – Non- IC and LFIC competitive cylinder (less core) 6** – 6 pin Non-IC Cylinder 7 – 7-pin Housing; accepts all BEST cores	DEL – Electrically locked**** DEU – Electrically unlocked****	14 – Curved with return 15 – Contour with angle return 16 – Curved with no return	C – 3" convex D – 3-1/2" convex K – 3" convex no ring L – 3-1/2" convex no ring	STK – Standard S3 – ANSI S3 7/8* – 7/8 Lip to Center strike LS – Less Strike S3B* – ANSI (Stike w/ Plastic Box) S3B 7/8* – ANSI (Stike w/ Plastic Box)	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 625	3/4* – 3/4" throw latch ATB – 2-3/4" Through bolt Prep ATB2 – 2-5/8" Through bolt prep C* – Pre-Terminated Quick Connect Plug LL* – Lead lined SH* – Security head screws LM – Lost motion RQE* – Request to Exit Thin Door* – 1-3/8" AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch OB** – Non-IC zero-bitted KA** – Non-IC keyed alike KD** – Non-IC keyed different COR*** – Non-IC Corbin-Russwin MED*** – Non-IC Medeco SAR*** – Non-IC Sargent SCH*** – Non-IC Schlage YAL*** – Non-IC Yale SARRC*** – LFIC Sargent CORRC*** – LFIC Corbin YALRC*** – LFIC Yale SCHRC*** – LFIC Schlage (14 & 15 lever only) 12V – Specify 12V System: Standard voltage is 24V

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with OB, KA, and KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing.

**** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

8KW/9KW Series Electromechanical Cylindrical Locks (cont.)

Electromechanical Locks

Function Description	Function Code	Complete With Combined Core			Less Core	Non-Ic Cylinder OB, KA, KD
		Patented*	Premium	Standard		
Electromechanical:						
8KW Elect. locked / unlocked	DEL, DEU	1,259.00	1,259.00	1,247.00	1,174.00	N/A
9KW Elect. locked / unlocked	DEL, DEU	1,126.00	1,126.00	1,114.00	1,041.00	1,097.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	21.00
Bright finishes (per lock)	605, 611, 625, 629, etc.	47.00
UltraShield antimicrobial finish	626AM	65.00
Thin door 1-3/8"	1-3/8"	87.00
3/4" throw latch	3/4	35.00
Special backsets	84K / 85K / 94K / 95K	23.00
Lead lined	LL	245.00
Security head screws	SH	24.00
Tactile knob both sides	TAC/B	91.00
Tactile knob outside	TAC/O	47.00
Tactile knob inside	TAC/I	47.00
Abrasive lever both sides	AL/B	47.00
Abrasive lever outside	AL/O	24.00
Abrasive lever inside	AL/I	24.00
Tactile lever both sides	TL/B	91.00
Full radius latch	FRL	23.00
Tactile lever outside	TL/O	47.00
Tactile lever inside	TL/I	47.00
7/8" Lip-to-center strike	S3 7/8	24.00
Strike with plastic box	S3B or S3B 7/8	2.40
Request to exit	ROE	179.00

Parts Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	86.00
3-3/4" deadlocking latch	8KL4	108.00
5" deadlocking latch	8KL5	108.00
Standard strike package	8KS2	8.40
ANSI strike package	8KS3	26.00
Throw member 6-pin / 7-pin	71217417 / B54200	2.00
Breakaway knob driver	B54856	9.30

Electromechanical Lock Accessories

Description	Catalog Number	Price
Transformer	8W599	176.00
AC to DC converter	8WCON	69.00
Narrow plate (push button)	8WBU-1-N	120.00
Standard plate (push button)	8WBU-1-A	120.00
Universal temperature control module	8WTCM	192.00

45HX Shelter Mortise Locks

Electromechanical Locks

How To Order

Series	Core Housing	Function Code	Lever Style	Outside Rose Style***	Finishes	Door Hand	Options
45HX	0* – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	R	3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17 – Gull wing	D – 3-1/2" convex J* – Wrought H – 2-3/4" dia. R – 2-3/4" dia. S – 3-1/2" dia.	626 690 622 626AM** 630AM** Satin** 606 612 613 619 Bright** 605 611 625 618	RH RHR LH LHR	WS – Windstorm label (NOA Miami-Dade County) 7/8" – Flat lip strike** Thick door* – Specify thickness (maximum 5" for 45HX)** TAC/I* – Tactile Lever Inside** TAC/O* – Tactile lever Outside** TAC/B* – Tactile Lever Both**

* Indicates cost deduction
 ** Indicates additional cost
 *** Inside rose, always D - 3-1/2 convex

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Electromechanical:					
45HX Standard Mortise Lock	R	1,189.00	1,189.00	1,177.00	1,106.00

Extra Cost Options*	Option Code	Per Lock
Satin finishes (per lock)	606, 612, 613, 619 etc.	35.00
Bright finishes (per lock)	605, 611, 625, etc.	64.00
UltraShield antimicrobial finish	626AM, 630AM	67.00
Wrought trim	J	14.00
Thick door	Specify thickness	92.00
Tactile both levers/knobs†	TAC/B	129.00
Tactile outside lever/knob†	TAC/O	67.00
Tactile inside lever/knob†	TAC/I	67.00
7/8" Lip-to-center strike	7/8 LTC	24.00
12, 17 Lever Design	12, 17	72.00

†Not available on #17 levers.

Cost Deductions**	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	61.00
OEM - Service (Less lever/trim)†	OEM	28.00

Shelter Accessories

Part Description	Part Number	Price
Shelter FOB	SHX-FOB	171.00
Shelter Gateway	SHX-GTW	3,320.00
Shelter Repeater	SHX-RPT	846.00
Shelter Repeater Pole Mount	SHX-PLE	171.00
Shelter Gateway Power Plug (universal power adapter)	SHX-PTL	30.00
Shelter Omni-directional Gate- way antenna with 20' plenum rated, low-loss, cable	SHX-OMNI	1,351.00
Shelter Cloud Software License	SHX-SCS	858.00

Catalog Number	Description	Price
3/4" Surface Mount Rim Strike		
BES-0162	3/4" Surface Mount Rim Strike	564.00
BES-F0162	Fire-Rated 3/4" Surface Mount Rim Strike	744.00
BES-0162LM	3/4" Surface Mount Rim Strike with Latch Monitor	637.00
BES-F0162LM	Fire-Rated 3/4" Surface Mount Rim Strike with Latch Monitor	775.00
1/2" Surface Mount Rim Strike		
BES-0163	1/2" Surface Mount Rim Strike	591.00
BES-0163LM	1/2" Surface Mount Rim Strike with Latch Monitor	680.00
All-In-One-Strike		
BES-F2164	Fire-Rated All-In-One-Strike-Fail-Secure	680.00
BES-2364	All-In-One-Strike-Fail Safe	680.00
Centerline Strike-4 Series		
BES-4105U	Fail Secure 12VAC/VDC	483.00
BES-4108U	Fail Secure 24VAC/VDC	483.00
BES-4306U	Fail Safe 12VDC	483.00
BES-4309U	Fail Safe 24VDC	483.00
BES-F41045	Fire-Rated Centerline Strike-Fail Secure 04 Faceplate 12VAC/VDC	467.00
BES-F41048	Fire-Rated Centerline Strike-Fail Secure 04 Faceplate 24VAC/VDC	467.00
BES-F41145	Fire-Rated Centerline Strike-Fail Secure 14 Faceplate 12VAC/VDC	467.00
BES-F41148	Fire-Rated Centerline Strike-Fail Secure 14 Faceplate 24VAC/VDC	467.00
Centerline Strike-6 Series		
BES-S65U	Standard Profile Universal-Multiple Faceplates	273.00
BES-L65U	Low Profile Universal-Multiple Faceplates	273.00
BES-S65ULMKM	Standard Profile Universal-Multiple Faceplates-Latch and Keeper Monitor	334.00
BES-L65ULMKM	Low Profile Universal-Multiple Faceplates-Latch and Keeper Monitor	334.00

Electric Strike Accessories

Description	Catalog Number	Price
BES-ICEPK	Heat Reducer for Continuous Duty	107.00
BES-SMT01	Strike Marking Template Kit	67.00
BES-F2LM	Plug-in Latch Monitor Kit (2A @ 24VDC) Improved Design to Accommodate 1/2" - 3/4" Latch Throw	80.00
BES-LEK01	1" Lip Extension Kit for Retrofit	83.00
BES-LEK02	2" Lip Extension Kit for Retrofit	96.00
BES-LEK03	3" Lip Extension Kit for Retrofit	111.00
BES-LEKL601	1" Lip Extension Kit for Retrofit (Low Profile)	74.00
BES-LEKL602	2" Lip Extension Kit for Retrofit (Low Profile)	87.00
BES-LEKL603	3" Lip Extension Kit for Retrofit (Low Profile)	101.00

Electromagnetic Locks

Electromechanical Locks

Catalog Number	Description	Price
Single Mag		
BML-8310	For Outswinging Interior or Perimeter Doors	598.00
BML-8310SCS	For Outswinging Interior or Perimeter Doors with Security Condition Sensor	730.00
BML-8310DSS	For Outswinging Interior or Perimeter Doors with Door Status Sensor	702.00
BML-8310DSSSCS	For Outswinging Interior or Perimeter Doors with Door Status Sensor and Security Condition Sensor	815.00
Double Mag		
BML-8320	For Outswinging Interior or Perimeter Doors	1194.00
BML-8320SCS	For Outswinging Interior or Perimeter Doors with Security Condition Sensor	1454.00
BML-8320DSS	For Outswinging Interior or Perimeter Doors with Door Status Sensor	1398.00
BML-8320DSSSCS	For Outswinging Interior or Perimeter Doors with Door Status Sensor and Security Condition Sensor	1630.00
Delayed Egress Mag		
BML-DE8310	For Single Outswinging Interior or Perimeter Doors	1454.00
BML-DE8310S	For Single Outswinging Interior or Perimeter Doors with Sounder	1673.00
Mortise MiniMag		
BML-8360	For Sliding Doors	498.00
Surface MiniMag		
BML-8371	For Single Outswinging Interior or Perimeter Doors	446.00
BML-8371SCS	For Single Outswinging Interior or Perimeter Doors with Security Condition Sensor	522.00
BML-8371DSS	For Single Outswinging Interior or Perimeter Doors with Door Status Sensor	503.00
BML-8371DSSSCS	For Single Outswinging Interior or Perimeter Doors with Door Status Sensor and Security Condition Sensor	579.00
Surface MiniMag		
BML-8372	For Double Outswinging Interior or Perimeter Doors	890.00
BML-8372SCS	For Double Outswinging Interior or Perimeter Doors with Security Condition Sensor	1,042.00
BML-8372DSS	For Double Outswinging Interior or Perimeter Doors with Door Status Sensor	1,004.00
BML-8372DSSSCS	For Double Outswinging Interior or Perimeter Doors with Door Status Sensor and Security Condition Sensor	1,158.00
GateMag		
BML-8380	For Interior or Exterior Perimeter Gates	611.00

Electromagnetic Lock Accessories

Catalog Number	Description	Price
BML-TJ10	8310 Z Bracket Kit	183.00
BML-TJ20	8320 Z Bracket Kit	366.00
BML-TJ71	8371 Z Bracket Kit	183.00
BML-TJ72	8372 Z Bracket Kit	366.00
BML-TJ80	8380 Z Bracket Kit	148.00
BML-GB8112	1/2" (13mm) 32 8310 Glass Door Bracket	210.00
BML-GB8134	3/4" (19mm) 32 8310 Glass Door Bracket	210.00
BML-GB8212	1/2" (13mm) 32 8320 Glass Door Bracket	416.00
BML-GB8234	3/4" (19mm) 32 8320 Glass Door Bracket	409.00
BML-GB7112	1/2" (13mm) 32 8371 Glass Door Bracket	210.00
BML-GB7134	3/4" (19mm) 32 8371 Glass Door Bracket	210.00
BML-GB7212	1/2" (13mm) 32 8372 Glass Door Bracket	416.00
BML-GB7234	3/4" (19mm) 32 8372 Glass Door Bracket	416.00
BML-SAI38	3/8" (9.5mm) Steel Split Armature Plate for 8310	99.00
BML-SAI58	5/8" (16mm) Steel Split Armature Plate for 8310	99.00
BML-AH10	Armature Plate Holder for 8310	104.00
BML-AH15	Armature Plate Holder for 8310xDSS	42.00
BML-AH20	Armature Plate Holder for 8320	205.00
BML-AH25	Armature Plate Holder for 8320xDSS	80.00
BML-AH71	Armature Plate Holder for 8371	104.00
BML-AH72	Armature Plate Holder for 8372	205.00

45HZ Keypad EZ Mortise Locks

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HZ	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DV – Latch with key TV – Deadbolt with key NV – Latch without key LV – Deadbolt without key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing 4 – Round Knob Decorative* 50-91	KP – Keypad	626 690 626AM* – Antimicrobial Satin* 606 612 613 619 622 Bright* 605 611 618 625	RH RHRB LH LHRB	8CE* – 8-cell battery holder assy with batteries 4SW – 4-cell shrink wrap battery P2*** – Phillips head screws Thick Door* – Specify thickness 7/8** – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost, see below.

** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

+See Stanley Hinges & Door Accessories price book for Wire Harness product

Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Keypad EZ Mortise Locks:					
45HZ - Single Keyed Latch	DV	1,489.00	1,489.00	1,477.00	1,404.00
45HZ - Single Keyed Deadbolt	TV	1,520.00	1,520.00	1,508.00	1,435.00
45HZ - Non-keyed Latch	NV	N/A	N/A	N/A	1,343.00
45HZ - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1,374.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, 619 etc.	64.00
Bright finishes (per lock)	605, 611, 625, etc.	124.00
UltraShield antimicrobial finish	626AM	137.00
Thick door	Specify thickness	92.00
Tactile both levers/knobs**	TAC/B	129.00
Tactile outside lever/knob**	TAC/O	67.00
Tactile inside lever/knob**	TAC/I	67.00
7/8" Lip-to-center strike	7/8 LTC	24.00
12, 17 Lever Design	12, 17	72.00
Decorative Lever Design	50-91	227.00
Extended Life Battery	8CE	74.00

** Not available on #17 levers.

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	61.00

9KZ Keypad EZ Cylindrical Locks

Electromechanical Locks

How To Order

9KZ	3	7	DV	15	KP	STK	626		
Series	Backset	Core Housing	Function Code	Lever Style	Trim Style	Strike Package	Finish	Options	
9KZ	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – With Key	14 – Curved with return 15 – Contour angle return 16 – Curved with no return 4 – Round Knob	KP – Keypad	STK – Standard S3 – ANSI S3 – 7/8" Lip to Center Strike S3B* – ANSI (Strike w/ Plastic Box) S3B 7/8* – ANSI (Strike w/ Plastic Box)	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 618 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws LM – Lost motion 3/4* – 3/4" throw latch FRL – Full Radius Latch OB* – non-IC zero-bitted KA* – non-IC keyed alike KD* – non-IC keyed different COR*** – Non IC Corbin–Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SARRC*** – LFIC Sargent CORRC*** – LFIC Corbin YALRC*** – LFIC Yale SCHRC*** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both WS – Windstorm Label (NOA Miami–Dade County)	

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with OB, KA, and KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.

**** T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete With Combined Core			Less Core	Non-IC Cylinder OB, KA, KD
		Patented*	Premium	Standard		
Keypad EZ Cylindrical Lock:						
9KZ - Single keyed lock	DV	1,276.00	1,276.00	1,264.00	1,191.00	1,247.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	64.00
Bright finishes (per lock)	605, 625, 629, etc.	124.00
UltraShield antimicrobial finish	626AM	137.00
3/4" throw latch	3/4	35.00
Special backsets	94KZ / 95KZ	23.00
Abrasive lever both sides	AL/B	47.00
Abrasive lever outside	AL/O	24.00
Abrasive lever inside	AL/I	24.00
Tactile lever both sides	TL/B	91.00
Tactile lever outside	TL/O	47.00
Tactile lever inside	TL/I	47.00
Full radius latch	FRL	23.00
7/8" Lip-to-center strike	S3 7/8	24.00
Strike with plastic box	S3B or S3B 7/8	24.00
Extended Life Battery	8CE	74.00

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	86.00
3-3/4" deadlocking latch	8KL4	108.00
5" deadlocking latch	8KL5	108.00
Standard strike package	8KS2	8.40
ANSI strike package	8KS3	26.00
Throw member 6-pin / 7-pin	71217417 / B54200	2.00

EXZ Keypad EZ Exit Trim

How To Order

EXZ	7	EV	15	KP	626	RHR	PH2	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXZ	0 – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	KP – Key Pad	626 690 626AM* Satin* 606 613	RHR LHR	VD9** – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type.

***SA8 Only available with Rim Type device. SA8 does not work with EV function [Key Override].

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Keypad EZ Exit Trim Locks:					
EXZ - Exit Trim - single keyed	EV	1,947.00	1,947.00	1,935.00	1,862.00
EXZ - Exit Trim - non keyed	NV	N/A	N/A	N/A	1,801.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 613, etc.	64.00
UltraShield antimicrobial finish	626AM	137.00
Security head screws	SH	24.00

45HG Offline G Series Mortise Locks

Electromechanical Locks

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HG	7	TV	14	MS	626	RH	
45HG	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50–91	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad) DVA**** – Other cylinder MSA**** – Other cylinder	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625	RH RHR LH LHR	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws KOS* – Key override sensor Thick Door* – Specify thickness 7/8*** – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3 WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

****Must specify track number.

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader:					
45HG - Single Keyed Latch	DV	1,722.00	1,722.00	1,710.00	1,637.00
45HG - Single Keyed Deadbolt	TV	1,754.00	1,754.00	1,742.00	1,669.00
45HG - Non-keyed Latch	NV	N/A	N/A	N/A	1,576.00
45HG - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1,608.00
Mag Stripe/Keypad Dual Validation Reader:					
45HG - Single Keyed Latch	DV	1,932.00	1,932.00	1,920.00	1,847.00
45HG - Single Keyed Deadbolt	TV	1,971.00	1,971.00	1,959.00	1,886.00
45HG - Non-keyed Latch	NV	N/A	N/A	N/A	1,786.00
45HG - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1,825.00

*Patented pricing shown is for CDRMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, 619 etc.	64.00
Bright finishes (per lock)	605, 611, 625, etc.	124.00
UltraShield antimicrobial finish	626AM	137.00
Thick door	Specify thickness	92.00
Tactile both levers/knobs**	TAC/B	129.00
Tactile outside lever/knob**	TAC/O	67.00
Tactile inside lever/knob**	TAC/I	67.00
7/8" Lip-to-center strike	7/8 LTC	24.00
12, 17 Lever Design	12, 17	72.00
Decorative Lever Design	50-91	227.00
Extended Life Battery	8CE	74.00
Key Override Sensor	KOS	40.00

**Not available on #17 levers.

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	61.00

9KG Offline G Series Cylindrical Locks

Electromechanical Locks

How To Order

9KG	3	7	DV	14	MS	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KG	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0**** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key	4 – Round knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS***** – Magnetic stripe DV***** – Dual validation (magstripe and keypad)	STK – Standard S3 – ANSI S3 – 7/8" Lip to Center Strike S3B* – ANSI (Strike w/ Plastic Box) S3B 7/B* – ANSI (Strike w/ Plastic Box)	626 690 626AM* 606 612 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2***** – Phillips head screws FM – Free Motion 3/4* – 3/4" throw latch OB** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin–Russwin MED**** – Non IC Medeco SAR**** – Non IC Sargent SCH**** – Non IC Schlage YAL**** – Non IC Yale SARRC**** – LFIC Sargent CORRC**** – LFIC Corbin YALRC**** – LFIC Yale SCHRC**** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch TRK1***** – Track 1 TRK2***** – Track 2 TRK3***** – Track 3 WS – Windstorm Label (NOA Miami–Dade County)

* Indicates extra cost option.
 ** Six-pin cylinder in Schlage "C" keyway included with OB, KA, KD options. Must specify "6" for core housing.
 *** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing.
 **** T15 Torx security screws are supplied standard.
 ***** Must specify track number.

Function Description	Function Code	Complete with combined core			Less Core	Non-IC Cylinder OB, KA, KD
		Patented*	Premium	Standard		
Magnetic Stripe Reader:						
9KG - Single keyed lock	DV	1,568.00	1,568.00	1,556.00	1,483.00	1,539.00
Mag Stripe/Keypad Dual Validation Reader:						
9KG - Single keyed lock	DV	1,791.00	1,791.00	1,779.00	1,706.00	1,762.00

* Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	64.00
Bright finishes (per lock)	605, 625, 629, etc.	124.00
UltraShield antimicrobial finish	626AM	137.00
3/4" throw latch	3/4	35.00
Special backsets	94KG / 95KG	23.00
Abrasive lever both sides	AL/B	47.00
Abrasive lever outside	AL/O	24.00
Abrasive lever inside	AL/I	24.00
Tactile lever both sides	TL/B	91.00
Tactile lever outside	TL/O	47.00
Tactile lever inside	TL/I	47.00
Full radius latch	FRL	23.00
7/8" Lip-to-center strike	S3 7/8	24.00
Strike with plastic box	S3B or S3B 7/8	24.00
Extended Life Battery	8CE	74.00

Part Description	Part Number	Part Price
2-3/4" deadlocking latch	8KL3	86.00
3-3/4" deadlocking latch	8KL4	108.00
5" deadlocking latch	8KL5	108.00
Standard strike package	8KS2	8.40
ANSI strike package	8KS3	26.00
Throw member 6-pin / 7-pin	71217417 / B54200	2.00

EXG Offline G Series Exit Trim

Electromechanical Locks

How To Order

EXG	7	EV	15	MS	626	RHR	PH2	RM		
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options	
EXG	0 – Less Core Housing 7 – 7-pin housing, accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad)	626 690 626AM* Satin* 606 613	RHR LHR	VD9** – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim*** MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3	

*Indicates extra cost option, see below.

**The EV function (key override) is not available on the Von Duprin Mortise type.

***SA8 Only available with Rim Type device. SA8 does not work with EV function (Key Override).

****Must specify track number.

Function Description	Function Code	Complete With Core			Less Core List Price
		Patented*	Premium	Standard	
Magnetic Stripe Reader:					
EXG - Exit Trim - single keyed	EV	2,099.00	2,099.00	2,087.00	2,014.00
EXG - Exit Trim - non keyed	NV	N/A	N/A	N/A	1,953.00
Mag Stripe/Keypad Dual Validation Reader:					
EXG - Exit Trim - single keyed	EV	2,320.00	2,320.00	2,308.00	2,235.00
EXG - Exit Trim - non keyed	NV	N/A	N/A	N/A	2,174.00

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 613, etc.	64.00
UltraShield antimicrobial finish	626AM	137.00
Security head screws	SH	24.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

45HBV Offline V Series Mortise Locks (continued)

Electromechanical Locks

Extra Cost Options*	Option Code	Add-on
Satin finishes (per lock)	606, 612, 613, 619 etc.	64.00
Bright finishes (per lock)	605, 611, 625, etc.	124.00
UltraShield antimicrobial finish	626AM, 630AM	137.00
Thick door	Specify thickness	92.00
Tactile both levers/knobs**	TAC/B	129.00
Tactile outside lever/knob**	TAC/O	67.00
Tactile inside lever/knob**	TAC/I	67.00
Security head screws	SH	24.00
7/8" Lip-to-center strike	7/8 LTC	24.00
12, 17 Lever Design	12, 17	72.00
Decorative Lever Design	50-91	227.00
Extended Life Battery	8CE	74.00
Key Override Sensor	KOS	40.00

**Not available on #17 levers.

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	61.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

9KBV Offline V Series Cylindrical Locks

How To Order

9KBV	3	7	DV	14	MS	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KBV	3: 2-3/4" 4*: 3-3/4" 5*: 5"	0*** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	4 – Round knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS***** – Magnetic stripe DV***** – Dual validation (magstripe and keypad) PH – Proximity HID [®] PKP – Proximity+Keypad SE – iCLASS PSEBH – Proximity + SE + HID BLE	STK – Standard S3 – ANSI S3 7/8* – Lip to center strike S3B* – ANSI (Strike w/ Plastic Box) S3B 7/8* – ANSI (Strike w/ Plastic Box)	626 690 626AM* Satin* 606 612 Bright* 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws FM – Free Motion 3/4* – 3/4" throw latch OB** – non-IC zero-bitting KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin–Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SARRC**** – LFIC Sargent CORRC**** – LFIC Corbin YALRC**** – LFIC Yale SCHRC**** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch TRK1***** – Track 1 TRK2***** – Track 2 TRK3***** – Track 3 MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand WS – Windstorm Label (NOA Miami–Dade County)

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with OB, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.

**** T15 Torx security screws are supplied standard.

***** Must specify track number.

9KBV Offline V Series Cylindrical Locks (continued)

Electromechanical Locks

Description	Function Code	Complete With Combined Core			Less Core	Non-Ic Cylinder 0B, KA, KD
		Patented*	Premium	Standard		
Magnetic Stripe Reader:						
9KBV - Single keyed lock	DV	1,810.00	1,810.00	1,798.00	1,725.00	1,781.00
Mag Stripe/Keypad Dual Validation Reader:						
9KBV - Single keyed lock	DV	2,020.00	2,020.00	2,008.00	1,935.00	1,991.00
HID Proximity Reader:						
9KBV - Single keyed lock	DV	2,502.00	2,502.00	2,490.00	2,417.00	2,473.00
PKP - Proximity + Keypad Reader:						
9KBV - Single keyed lock	DV	2,291.00	2,291.00	2,279.00	2,206.00	2,262.00
SE - HID® iCLASS® Smart Card Reader:						
9KBV - Single keyed lock	DV	2,238.00	2,238.00	2,226.00	2,153.00	2,209.00
PSEBH - Proximity + SE + HID BLE						
9KBV - Single keyed lock	DV	2,538.00	2,538.00	2,526.00	2,453.00	2,509.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	64.00
Bright finishes (per lock)	605, 625, 629, etc.	124.00
UltraShield antimicrobial finish	626AM	137.00
3/4" throw latch	3/4	35.00
Special backsets	94KBV / 95KBV	23.00
Abrasive lever both sides	AL/B	47.00
Abrasive lever outside	AL/O	24.00
Abrasive lever inside	AL/I	24.00
Tactile lever both sides	TL/B	91.00
Tactile lever outside	TL/O	47.00
Tactile lever inside	TL/I	47.00
Full radius latch	FRL	23.00
7/8" Lip-to-center strike	S3 7/8	24.00
Strike with plastic box	S3B or S3B 7/8	24.00
Extended Life Battery	8CE	74.00

Part Description	Part Number	Part Price
2-3/4" deadlocking latch	8KL3	86.00
3-3/4" deadlocking latch	8KL4	108.00
5" deadlocking latch	8KL5	108.00
Standard strike package	8KS2	8.40
ANSI strike package	8KS3	26.00
Throw member 6-pin / 7-pin	71217417 / B54200	2.00

EXBV Offline V Series Exit Trim

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXBV	7	EV	15	MS	626	RHR	PH2	RM	
EXBV	0 – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad) PH – Proximity HID® SC – HID® iCLASS® PKP – Proximity+Keypad SE – iCLASS PSEBH – Proximity + SE + HID BLE	626 690 626AM* Satin* 606 613	RHR LHR	PH2 – Precision Hardware 2000 series VD9** – Von Duprin 98/99 series SA8 – Sargent 8000 Series***	RM – Rim MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3 MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type.

***SA8 Only available with Rim Type device. SA8 does not work with EV function (Key Override).

****Must specify track number.

DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
Magnetic Stripe Reader:					
EXBV - Exit Trim - single keyed	EV	2,251.00	2,251.00	2,239.00	2,166.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2,105.00
Mag Stripe/Keypad Dual Validation Reader:					
EXBV - Exit Trim - single keyed	EV	2,470.00	2,470.00	2,458.00	2,385.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2,324.00
HID Proximity Reader:					
EXBV - Exit Trim - single keyed	EV	2,964.00	2,964.00	2,952.00	2,879.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2,818.00
PKP - Proximity + Keypad Reader:					
EXBV - Exit Trim - single keyed	EV	2,755.00	2,733.00	2,721.00	2,648.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2,587.00
SE - HID® iCLASS® Smart Card Reader:					
EXBV - Exit Trim - single keyed	EV	2,689.00	2,679.00	2,667.00	2,594.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2,533.00
PSEBH - Proximity + SE + HID BLE					
EXBV - Exit Trim - single keyed	EV	2,989.00	2,979.00	2,967.00	2,894.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2,833.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 613, etc.	64.00
UltraShield antimicrobial finish	626AM	137.00
Security head screws	SH	24.00

45HM IDH MAX™ Mortise Locks

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HM	7	DEU	14	MS	626	RH	
45HM	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DEU – Electrically unlocked DEL – Electrically locked NXEU – Electrically unlocked NXEL – Electrically Locked TDEU – Electrically Unlocked TDEL – Electrically Locked LEU – Electrically unlocked LEL – Electrically locked	Levers: 3 – Solid tube/return 4 – Round 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Decorative* 50–91	MS**** – Magnetic stripe PH – Proximity HID® MSA**** – Magstripe Adaptation PHA – Proximity HID Adaptation SE – iCLASS SEA – iCLASS smartcard adaptation PSEBH – Proximity + SE + HID BLE PSEBHA – Proximity + SE + HID BLE Adaptation	626 630 690 626AM* 630AM* Satin* 606 612 613 Bright* 605 611 625 629	RH RHRB LH LHRB	P2*** – Phillips head screws Thick Door* – Specify thickness 7/8*** – Flat lip strike 1300 – Mercury Direct Connect with Lenel Programming MR50* – Mercury Direct Connect Non-programmed / open TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand TRK2**** – Track 2 TRK3**** – Track 3

* Indicates extra cost, see below.

** Indicates cost deduction, see below.

*** T15 Torx security screws are supplied standard.

**** Must specify track number.

1300 Option - Integrated reader electronics board embedded behind the escutcheon, secured and out of sight. This option functions with Mercury Security Access Control Panels and the software that supports them only.

- 1300 Option - Pre-programmed with Lenel OEM code

Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader:					
45HM - Single Keyed Latch	DEU, DEL	2,475.00	2,475.00	2,463.00	2,390.00
45HM - Non-keyed Latch	NXEU, NXEL	N/A	N/A	N/A	2,329.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	2,500.00	2,500.00	2,488.00	2,415.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	2,354.00
HID Proximity Reader:					
45HM - Single Keyed Latch	DEU, DEL	3,189.00	3,189.00	3,177.00	3,104.00
45HM - Non-keyed Latch	NXEU, NXEL	N/A	N/A	N/A	3,043.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	3,194.00	3,194.00	3,182.00	3,109.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	3,048.00
SE - HID® iCLASS® Smart Card Reader:					
45HM - Single keyed latch	DEU, DEL	2,903.00	2,903.00	2,891.00	2,818.00
45HM - Non-Keyed Latch	NXEU, NXEL	N/A	N/A	N/A	2,757.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	2,928.00	2,928.00	2,916.00	2,843.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	2,782.00
PSEBH - Proximity + SE + HID BLE					
45HM - Single keyed latch	DEU, DEL	3,203.00	3,203.00	3,191.00	3,118.00
45HM - Non-Keyed Latch	NXEU, NXEL	N/A	N/A	N/A	2,757.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	3,228.00	3,228.00	3,216.00	3,143.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	3,082.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

45HM IDH MAX™ Mortise Locks (continued)

Electromechanical Locks

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, 619 etc.	64.00
Bright finishes (per lock)	605, 611, 625, etc.	124.00
UltraShield antimicrobial finish	626AM, 630AM	137.00
Thick door	Specify thickness	92.00
Tactile both levers/knobs**	TAC/B	129.00
Tactile outside lever/knob**	TAC/O	67.00
Tactile inside lever/knob**	TAC/I	67.00
7/8" Lip-to-center strike	7/8 LTC	24.00
12, 17 Lever Design	12, 17	72.00
Decorative Lever Design	50-91	227.00
Integrated BAS1300/LNL1300 reader electronics board	1300	689.00

**Not available on #17 levers.

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	61.00

Electronic Lock Software & Accessories

Electromechanical Locks

For Wi-Q Technology Wireless software, accessories and locks, see pages 89-94

Description	Part Number	Price	Offline G	Offline V	Keypad EZ	IDH Max
			G	BV	Z	M
Readers						
Magnetic card access reader - 12VDC, track 2, weatherized (no keypad), black (MR-5)	360120WBK	576.00				
Dual validation (magnetic stripe & keypad) reader - 12VDC, track 2, weatherized, black case (MR-20), with tamper contact	310120WBKOT	1,103.00				
Cards						
Magnetic Stripe Cards Non-Encoded:						
PVC (box of 500)	VPA-PVC	2,446.00	X	X		X
Electronic Lock Accessories (Continued)						
Replacement Parts:						
Shrink wrap battery pack & foam*	VPD-BATT	26.00				
Replacement battery pack	VPD-BB	45.00	X	X	X	
4 Cell Battery holder for new style 2 piece I/S escutcheon offline products	C83511	52.00	X	X	X	
8 Cell Battery holder for new style 2 piece I/S escutcheon offline products	C83522	90.00	X	X	X	
Extended life battery door cover	B62129	36.00	X	X	X	
Service Equipment:						
Offline lock programming cable	BASDCAB	221.00	X	X		
Magnetic Card Encoder	MSR20633BA	4,245.00	X	X		X
Transport Programming Device	SES-NetBook	2,486.00	X	X		
Transport Memory Drive	SES-MEM	100.00	X	X		
Transport USB to Serial Adapter	SES-USB	121.00	X	X		
Transport connector/adaptor (no cable, used to connect SES-USB to BASDCAB)	SES-DB9CON	28.00	X	X		
Transport cable adapter (6' Cable adapter)	SES-DB9CAB	52.00	X	X		
Power supply - 12 or 24 VDC, 2.5A output, 120 VAC input, UL	AL300ULX	718.00				
Backup battery for power supply, 12 VDC, 12 AH	NP12A12V	232.00				
Standard driver bit	VPD-T15	36.00	X	X	X	X
McGard driver bit	VPD-HS-DRVR	44.00	X	X	X	X
McGard battery door screw (specify finish)	VPD-HS-SCRW	44.00	X	X	X	X
Cleaning cards (box of 50)	VPDCLN	210.00	X	X		X

*VPD-BATT used with legacy V Series locks only

Description	Part Number	Price	G	BV	Z	M
Aurora						
Aurora Software (Offline Locks Only)						
Aurora Basic Software	AURORA	2056.00	X	X		
Replacement Aurora Basic Software - No Licenses	AUR-UP	594.00	X	X		
Single Additional Client License (single)	EAUR-CL1	631.00	X	X		
Five Additional Client License (5-pack)	EAUR-CL5	3022.00	X	X		
Ten Additional Client License (10-pack)	EAUR-CL10	5579.00	X	X		

BEST 45HQ Wireless Mortise Locks with Wi-Q™ Technology

Electromechanical Locks

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HQ	7	TV	14	MS	626	RH	
45HQ	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50–91	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad) PH – Proximity HID® DVA**** – Other cyl MSA**** – Other cyl PHA – Other cyl PKP – Proximity + Keypad SE – iCLASS PKPA – Proximity + Keypad adaptation SEA – iCLASS smartcard adaptation PSEBH - Proximity + SE + HID BLE PSEBHA - Proximity + SE + HID BLE Adaptation	626 630 690 626AM* 630AM* Satin* 606 612 613 Bright* 605 611 625 629	RH RHRB LH LHRB	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws Thick Door* – Specify thickness 7/8** – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3 WS – Windstorm Label (NOA Miami-Dade County)

NOTE: Wireless locks come with Integrated Door Hardware (IDH) as standard -Request to Exit (RQE), door position switch (DS), latch bolt monitor switch (LS) and key-override switch (KOS) on DV Function.

*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

****Must specify track number.

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
45HQ– Single Keyed Latch	DV				
45HQ– Single Keyed Deadbolt	TV				
Magnetic Stripe/keypad dual validation reader					
45HQ– Single Keyed Latch	DV				
45HQ– Single Keyed Deadbolt	TV				
HID® Proximity reader					
45HQ– Single Keyed Latch	DV				
45HQ– Single Keyed Deadbolt	TV				
PKP – Proximity + Keypad Reader					
45HQ– Single Keyed Latch	DV				
45HQ– Single Keyed Deadbolt	TV				
SE – HID® iCLASS® Smart Card Reader					
45HQ– Single Keyed Latch	DV				
45HQ– Single Keyed Deadbolt	TV				
PSEBH - Proximity + SE + HID BLE					
45HQ– Single Keyed Latch	DV				
45HQ– Single Keyed Deadbolt	TV				

Contact your PACS partner for pricing.
For current WAMS customers, contact your local sales representative.

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for Best Preferred patented keying.

BEST 45HQ Wireless Mortise Locks with Wi-Q™ Technology (cont.) Electromechanical Locks

Contact your PACS partner for pricing. For current WAMS customers, contact your local sales representative.

Extra Cost Options*	Option Code
Satin finishes (per lock)	606, 612, 613 etc.
Bright finishes (per lock)	605, 611, 625 etc.
UltraShield antimicrobial finish	626AM, 630AM
Thick door	Specify thickness
Tactile both levers/knobs**	TAC/B
Tactile outside lever/knob**	TAC/O
Tactile inside lever/knob**	TAC/I
7/8" Lip-to-center strike	7/8 LTC
12, 17 Lever Design	12, 17
Decorative Lever Design	50-91
Extended Life Battery	8CE

**Not available on #17 levers.

**Cost Deductions	Option Code
Less cylinder option (Deduct from complete price)	0

How To Order

EXQ	7	EV	15	MS	626	RHR	PH2	RM		
Series	Core housing	Function code	Lever style	Trim style	Finish	Door hand	Mfg	Locking type	Options	
EXQ	0 – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS*** – Magnetic stripe DV*** – Dual validation (magstripe and keypad) PH – Proximity HID® PKP – Proximity + Keypad SE – iCLASS PSEBH – Proximity + SE + HID BLE	626 690 626AM* Satin* 606 612 613	RHR LHR	PH2 – Precision Hardware 2000 series VD9** – Von Duprin 98/99 series	RM – Rim MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws MT1*** – Track 1 MT2*** – Track 2 MT3*** – Track 3	

NOTE: Wireless locks come standard with door position switch (DS), connector/input to connect to a ROE switch inside exit device. (ROE switch must be purchased separately for exit device brand and model).

NOTE: Latch Switch connector is also included for use with a latch switch indicator only on Precision exit devices.

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type.

***Must specify track number.

Function Description	Function Code	Complete With Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
EXQ – Exit Trim – single keyed	EV				
EXQ – Exit Trim – non keyed	NV				
Mag Stripe Keypad Dual Validation Reader					
EXQ – Exit Trim – single keyed	EV				
EXQ – Exit Trim – non keyed	NV				
HID® Proximity Reader					
EXQ – Exit Trim – single keyed	EV				
EXQ – Exit Trim – non keyed	NV				
PKP – Proximity + Keypad Reader					
EXQ – Exit Trim – single keyed	EV				
EXQ – Exit Trim – non keyed	NV				
SE – HID® iCLASS® Smart Card Reader					
EXQ – Exit Trim – single keyed	EV				
EXQ – Exit Trim – non keyed	NV				
PSEBH - Proximity + SE + HID BLE					
EXQ – Exit Trim – single keyed	EV				
EXQ – Exit Trim – non keyed	NV				

Contact your PACS partner for pricing.
For current WAMS customers, contact your local sales representative.

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for Best Preferred patented keying.

Extra Cost Options*	Option Code
Satin finishes (per lock)	606, 612, 613
UltraShield antimicrobial finish	626AM
Security head screws	SH

BEST Wi-Q™ Technology Wireless Access Management Software & Accessories

Electromechanical Locks

Description	Part Number
Portal Gateways (WQXM- New Mercury Compatible)	
Portal Gateway for up to 64 Readers/Locks* with half wave dipole omnidirectional antenna (should only be used where PG is mounted in an open area, not in a ceiling or restricted signal area).	WQXM-PG
Portal Gateway for up to 64 Readers/Locks* with ceiling mount omnidirectional antenna.	WQXM-PG-C-BP
Portal Gateway in a mounting enclosure, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQXM-PG-BP
Portal Gateway in a mounting enclosure, with ceiling mount omnidirectional antenna, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQXM-PG-C-BP
Portal Gateway for up to 64 Readers/Locks* with wall mount directional antenna	WQXMOPG-W

Portal Gateways (WQW)-phase out	
Portal Gateway for up to 64 Readers/Locks* with half wave dipole omnidirectional antenna (should only be used where PG is mounted in an open area, not in a ceiling or restricted signal area).	WQX-PG
Portal Gateway for up to 64 Readers/Locks* with ceiling mount omnidirectional antenna.	WQX-PG-C
Portal Gateway with enclosure, power supply and ceiling mount omnidirectional antenna	WQX-PG-C-B
Portal Gateway in a mounting enclosure, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQX-PG-BP
Portal Gateway in a mounting enclosure, with ceiling mount omnidirectional antenna, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQX-PG-C-BP
Portal Gateway for up to 64 Readers/Locks* with wall mount directional antenna	WQX-PG-W
Portal Gateway with enclosure, power supply and wall mount directional antenna	WQX-PG-W-B

*Does not imply that 64 readers/locks will be within distance/RF range to connect. Total number of portal gateways required is based on individual system survey and requirements.

Wireless Access Controllers (WAC)	
Wireless Access Controller with half wave dipole omnidirectional antenna (should only be used where WAC is mounted in an open area, not in a ceiling or restricted signal area).	WQX-WAC
Wireless Access Controller with ceiling mount omni directional antenn	WQX-WAC-C
Wireless Access Controller in enclosure with power supply and ceiling mount omnidirectional antenna	WQX-WAC-C-B
Wireless Access Controller with wall mount directional antenna	WQX-WAC-W
Wireless Access Controller in enclosure with power supply and wall mount directional antenna	WQX-WAC-W-B
Wireless Access Controller in Nema enclosure with power supply and exterior directional antenna	WQX-WAC-D-BW
Wireless Access Controller in Nema enclosure with power supply and exterior omni-directional antenna	WQX-WAC-O-BW
Wireless Access Controller sign-on keypad	WQD-WACPAD
Wireless Access Controller Survey Kit	WQD-Survey

Power and Adapters	
Sealed battery pack	VPD-BB
Plug-in Transformer (wall-mount) with 6' of cable	WQD-12827
Power over Ethernet Power Supply/Inserter	WQD-12927-001
Power over Ethernet Active Splitter with Isolation	WQD-12928-001

Wi-Q™ Antennas & Accessories	
2.4 GHz Interior Ceiling Mount Omni-directional Antenna kit*	WQD-ACMO
2.4 GHz Interior/Exterior Wall mount directional antenna kit*	WQD-AWMD
2.4GHZ Exterior directional antenna**	WQD-AEMD
2.4GHZ Exterior omnidirectional mast mount kit**	WQD-AEMO
Exterior Antenna Grounding kit***	WQD-AGT
Surge Protection Kit	WQD-SURG
Cleaning Cards (box of 50)	VPDCLN
HID Proximity Card Enrollment Reader	RDR6081AKU

NOTE: Normal Offline software upgrade licenses apply. (Base software and 64 reader blocks)

*Antenna Kit include antenna, standard mount and 20' cable to connect to PG or WAC.

**Antenna Kit includes antenna, wall and post mounts and 20' cable to connect to PG or WAC.

***Grounding Kit includes coax grounding kit and lightning arrestor.

BEST Wireless Conversion Kits with Wi-Q™ Technology

Electromechanical Locks

How To Order

Kit works on Offline G and V 9K and 40H Platforms
 Works on Magnetic Stripe, Dual Validation, HID® Proximity will not work on 30H Mortise Platforms.

Series Style	Description
WQCNKT-1 Cylindrical wireless upgrade kit	
WQCNKT-1 Cylindrical wireless upgrade kit	Kit to convert an Offline 9K V/G standalone lockset to a Wi-Q™ Wireless Lockset. Notes: 1) Kit includes a new 9K chassis with new motor, ROE hub and door position switch. 2) If the conversion kit will be used on a pre-2009 standalone lock with a HID Proximity Reader, it is highly recommended that a new HID Proximity reader is also purchased. The new style reader will provide better battery life than the pre-2009 HID Proximity Readers. (Part # 73132854S---- B82399 45HQ HID PROX BEZEL SUB-ASSY HID)
WQCNKT-2 Mortise DV function (without deadbolt) wireless upgrade kit with alarm functionality	Kit to convert an Offline 45H V/G standalone lockset to a Wi-Q™ Wireless Lockset. Notes: 1) Kit also contains a new 45H DV mortise case which includes ROE, door position switch, latch position switch and key-override sensor to provide for full alarm functionality. 2) If the conversion kit will be used on a pre-2009 standalone lock with a HID Proximity Reader, it is highly recommended that a new HID Proximity reader is also purchased. The new style reader will provide better battery life than the pre-2009 HID Proximity Readers. (Part # 73132854S---- B82399 45HQ HID PROX BEZEL SUB-ASSY HID)
WQCNKT-3 Mortise TV function (with deadbolt) wireless upgrade kit with alarm functionality	Kit to convert an Offline 45H V/G standalone lockset to a Wi-Q™ Wireless Lockset. Notes: 1) Kit also contains a new 45H TV mortise case which includes ROE, door position switch, deadbolt position switch, and key-override sensor to provide for full alarm functionality. 2) If the conversion kit will be used on a pre-2009 standalone lock with a HID Proximity Reader, it is highly recommended that a new HID Proximity reader is also purchased. The new style reader will provide better battery life than the pre-2009 HID Proximity Readers. (Part # 73132854S---- B82399 45HQ HID PROX BEZEL SUB-ASSY HID)

Contact your PACS partner for pricing.
 For current WAMS customers, contact your local sales representative.
Upgrade kits must be installed by a BEST Certified Technician for warranty purposes.

Remote Card Encoding System

The Stanley ID Express Station™ system provides the ability for cardholders to conduct self-managed transactions via a simple and user-friendly interface at a kiosk station. Existing cards can be updated, or temporary cards can be issued. The Stanley ID Express Station™ is only compatible with the BASIS Access Control Software.

Part Number	Description	Price
SSK-IDEXPRESS-K	Stanley ID Express Station™ - Kiosk configuration with 17" Touchscreen monitor, magnetic stripe card dispenser/enrollment station, verification CCTV and Uninterruptible Power Supply, (see note regarding shipping/crating costs)*	47,575.00
SSK-IDEXPRESS-DC	Stanley ID Express Station™ - Desktop Complete Configuration with Touchscreen monitor, magnetic stripe card dispenser/enrollment station and verification CCTV. Uninterruptible Power Supply is not included. An exterior placed UPS is recommended. (see note regarding shipping/crating costs)**	38,384.00
SSK-IDEXPRESS-PROX	Additional Proximity card enrollment station for the K option Kiosk configuration	1,366.00
SSK-IDEXPRESS-Logo	Placement of Customers LOGO on top of Kiosk. Customer must provide art-ready graphic in electronic format	722.00

Shipping/crating Charges:

*The above unit pricing does not include the crating charge of \$350 and the shipping cost of \$375 per Kiosk purchase. These amounts are in addition to the per unit pricing. (additional rates apply outside of Contiguous United States)

**The above unit pricing does not include the crating charge of \$250 and the shipping cost of \$275 per Desktop purchase. These amounts are in addition to the per unit pricing. (additional rates apply outside of Contiguous United States)

***Applications utilizing dual validation locks (Card and Pin) will also require the OpenIT software module for the BASIS management system. Refer to the Technical Support Group section for installation pricing.

Installation Requirement:

(Provided by Others) Electrical: Requires one (1) standard duplex 110VAC 30 amp circuit located within 2' of the equipment. Communications: Data Connection: Ethernet terminated with a RJ45 located within 2' of the equipment

Electronic Lock Inside Escutcheon Conversion Kits

Electromechanical Locks

How To Order

Kit works on Keypad EZ, B.A.S.I.S. G, B.A.S.I.S. V, NT500, and Wi-Q products.
Kits do not work on IDH Max products.

Cylindrical Conversion Kits

9KEKT	DV	626		
Series	Wireless or non-wireless	Function Code	Finish	Options
9KEKT – Cylindrical conversion kit	Q – Wi-Q Wireless Blank – Non-wireless	DV – Latch w/key	626 626AM* Satin* 606 612 613 Bright* 605 625 629	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery pack P2** – Phillips head screws

*Indicates extra cost option; see below.

**T15 Torx security screws are supplied standard.

Mortise Conversion Kits

45HEKT	Q	TV	606		
Series	Wireless or non-wireless	Function Code	Finish	Options	
45HEKT – Mortise conversion kit	Q – Wi-Q Wireless Blank – Non-wireless	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	626 626AM* Satin* 606 612 613 Bright* 605 625 629	8CE* – 8 cell battery holder assy with batteries Thick Door* – Specify thickness P2** – Phillips head screws 4SW – 4 cell shrink wrap battery pack	

*Indicates extra cost option; see below.

**T15 Torx security screws are supplied standard.

Conversion Kit	Price	
9KEKT Cylindrical Conversion Kit		
Wi-Q Wireless	273.00	
Non-wireless	130.00	
45HEKT Mortise Conversion Kit		
Wi-Q Wireless	273.00	
Non-wireless	130.00	
Extra Cost Options*	Option Code	Add-On
Satin finish	606 612 613	64.00
Bright finish	605 625 629	124.00
UltraShield antimicrobial finish	626AM	137.00
Thick door	Specify thickness	92.00
Extended Life Battery	8CE	74.00

45HOM OMNILOCK Wireless Mortise Locks

Electromechanical Locks

How To Order

Series	Core Housing	Function Code	Lever Style	Trim Style	Rose	Housing Finish	Finish	Door Hand	Options
45HOM	7	DV	15	MDVW	H	B	626	RH	
45HOM	0 – Dummy Cylinder 7 – With IC Cylinder (core not included)	DV – Latch w/ key TV – Deadbolt w/key	Levers: 3 – Tubular/return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return	MDVW – Dual validation (magstripe and keypad) KW – Keypad Reader MSW – Magnetic stripe PDVW – Dual Validation (HID Proximity and keypad) PHW – Proximity HID®	H	B – Black	613* 626 690 Satin 612*	RH RHR LH LHR	DSR* – Door Switch Monitor & ROE ROE* – Request to Exit KOS* – Key override bypass switch LSM* – Latch Switch Monitor Thick Door* – Specify Thickness W* – Weatherized Version [–4°F to +129°F] 7/8 LTC* – Flat Lip Strike WS – Windstorm Label (NOA Miami–Dade County)

Standard Trim is for indoor use only. (W) option is for –4°F to +129°F.
*Indicates extra cost option

Function Description	Function Code	With Cylinder	Less Cylinder
Dual validation reader magnetic stripe and keypad			
45HOM– Single Keyed Latch	DV	3,894.00	3,795.00
45HOM– Single Keyed Deadbolt	TV	3,930.00	3,831.00
Keypad reader			
45HOM– Single Keyed Latch	DV	3,847.00	3,748.00
45HOM– Single Keyed Deadbolt	TV	3,888.00	3,789.00
Magnetic stripe reader			
45HOM– Single Keyed Latch	DV	3,847.00	3,748.00
45HOM– Single Keyed Deadbolt	TV	3,888.00	3,789.00
HID proximity dual validation reader			
45HOM– Single Keyed Latch	DV	4,196.00	4,097.00
45HOM– Single Keyed Deadbolt	TV	4,230.00	4,131.00
HID® Proximity reader			
45HOM– Single Keyed Latch	DV	4,148.00	4,049.00
45HOM– Single Keyed Deadbolt	TV	4,188.00	4,089.00
<hr/>			
Addition for Cylinder		99.00	

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	612	71.00
Thick door	Specify thickness	76.00
Key Override Sensor	KOS	182.00
Door Switch Monitor & ROE	DSR	182.00
Latch Switch Monitor	LSM	63.00
Weather Option	W	182.00
Request to Exit	ROE	179.00

Wireless 9KOM OMNILOCK Wireless Cylindrical Locks

Electromechanical Locks

How To Order

Series	Backset	Core Housing	Function Code	Lever Style	Trim Style	Housing Finish	Strike Package	Finish	Options
9KOM	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0** – Non-IC Prep 7 – BEST IC Handle (no core)	DV – with key	4 – Knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MDVW – Dual validation (magstripe and keypad) KW – Keypad Reader MSW – Magnetic stripe PDVW – Dual Validation (HID Proximity and keypad) PHW – Proximity HID®	B – Black	STK – Standard S3 – ANSI 7/8 LTC* – Flat Lip Strike	613* 626 690 Satin 612*	ATB – Alternate through-bolt mounting DSR* – Door Switch Monitor & RQE RQE* – Request to Exit W* – Weatherized Version (-4°F to +129°F) FRL – Full Radius Latch COR** – non IC Corbin Russwin MED** – non IC Medeco SAR** – non IC Sargent SCH** – non IC Schlage YAL** – non IC Yale SCHRC** – Schlage large format removable core (14 & 15 lever only) WS – Windstorm Label (NOA Miami-Dade County)

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

** Cylinder/core not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.

Function description	Trim style	Price
Dual Validation magstripe and keypad reader		
9KOM Dual validation reader	MDVW	3,212.00
Keypad Reader		
9KOM – Keypad reader	KW	3,212.00
Magnetic Stripe Reader		
9KOM – Magnetic Stripe Reader	MSW	3,212.00
Dual Validation HID Proximity and keypad reader		
9KOM – Proximity dual validation reader	PDVW	3,566.00
HID Proximity Card Reader		
9KOM – Proximity card reader	PHW	3,566.00

Extra Cost Options*	Option Code	Add-On
Satin finishes (per lock)	612, 613	71.00
Door Switch Monitor & RQE	DSR	182.00
Weather Option	W	182.00
2-3/4" deadlocking latch	8KL3	86.00
3-3/4" deadlocking latch	8KL4	108.00
5" deadlocking latch	8KL5	108.00
Request to Exit	RQE	179.00
Full radius latch	FRL	23.00
7/8" Lip-to-center strike	3S 7/8	24.00
Strike with plastic box	S3B or S3B 7/8	2.40

Wireless OMEM OMNILOCK Electric Modules

Electromechanical Locks

How To Order

OMEM	C	MDVW	B
Backset	Lockset Type	Trim Style	Housing Finish Options
OMEM	C – Cylindrical M – Mortise	MDVW – Dual validation (magstripe and keypad) PDVW – Dual validation (HID Proximity and keypad) NOTE: Proximity Only and Keypad only are not available	B – Black W* – Weatherized Version

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

NOTE: Lock Chassis with levers is NOT included

Function Description	Function Code	Omnilock Trim Only
Cylindrical Dual Validation magstripe and keypad reader		
OMEMC Cylindrical reader	MDVW	2,204.00
Mortise Dual Validation magstripe and keypad reader		
OMEMM Mortise reader	MDVW	2,228.00
Cylindrical Dual Validation HID Proximity and keypad reader		
OMEMC – Cylindrical reader	PDVW	2,477.00
Mortise Dual Validation HID Proximity and keypad reader		
OMEMM – Mortise reader	PDVW	2,497.00

Extra Cost Options*	Option Code	Add-On
Weather Option	W	182.00

Wireless OMWMS OMNILOCK Wall Mount Systems

Electromechanical Locks

How To Order

OMWMS	BE	MDVW	B	
Backset	Core Housing	Trim Style	Housing Finish	Options
OMWMS	BE – (5E Cylinder is included, keyed independently with 2 keys)**	MDVW – Dual validation (magstripe and keypad) PDVW – Dual Validation (HID Proximity and keypad)	B – Black	W* – Weatherized Version

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

**5E Included with Price of Wall Mount Unit

NOTE: Each lock is keyed differently. Must special order to key alike. (Additional Net \$52.50 per order for keyed alike options)

Function Description	Function Code	Price
Dual Validation magstripe and keypad reader		
OMWMS Dual validation reader	MDVW	2,723.00
Dual Validation HID Proximity and keypad reader		
OMWMS – Proximity dual validation reader	PDVW	3,056.00
Extra Cost Options*		
Weather Option [-4°F to +129°F]	W	182.00

Wireless QASOM Quick Adapter for Pre-2004 Cylindrical Schlage D Lever Locks

Electromechanical Locks

How To Order

QASOM	DVW	G	W
Quick Adaptor	Trim Style	Housing Finish	Options
QASOM	MDVW – Dual validation (magstripe and keypad) PDVW – Dual Validation (HID Proximity and keypad)	B – Black	W* – Weatherized Version

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

Function Description	Function Code	Price
Dual Validation Reader (magnetic stripe and keypad)		
QASOM Quick adapter with DV	MDVW	2,613.00
HID Proximity Dual Validation reader (prox and keypad)		
QASOM Quick adapter with proximity and keypad	PDVW	2,937.00

Extra Cost Options*	Option Code	Add-On
Weatherized Option [-4°F to +129°F]	W	182.00

Wireless QAXOM OMNILOCK Wireless Quick Adapter for Exit Devices

Electromechanical Locks

How To Order

QAXOM	7	15	MDVW	B	626	PH2	RHRB		
Quick Adapter	Cylinder Housing	Lever Style	Trim Style	Housing Finish	Lever Finish	Adapter Plate	Hand	Options	
QAXOM	0 – Non-IC Handle (core not included) 7 – BEST IC Handle (core not included)	14 – Curved/return 15 – Contour/angle return	MDVW – Dual validation (magstripe and keypad) KW – Keypad Reader MSW – Magnetic stripe PDVW – Dual Validation (HID Proximity and keypad) PHW – Proximity HID*	B – Black	626 612 613	CY1 – Corbin/Russwin Yale Series** PH2 – Precision Hardware series** SA7 – Sargent 88 Series** SA8 – Sargent 88 Series** SA9 – Sargent 98 Series** VD9 – Von Duprin 98/99F series**	RHR LHR	W* – Weatherized	

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

** Adapter Plate ships same color as housing finish

Function Description	Function Code	Price*
Dual Validation Reader (magnetic stripe and keypad)		
QAXOM Quick adapter with DV	MDVW	3,677.00
Keypad Reader only		
QAXOM Quick adapter with keypad only	KW	3,626.00
Magnetic Stripe Reader		
QAXOM Quick adapter with Magnetic stripe reader	MSW	3,626.00
HID Proximity Dual Validation reader (prox and keypad)		
QAXOM Quick adapter with proximity and keypad	PDVW	4,052.00
HID Proximity card reader		
QAXOM Quick adapter with proximity card reader	PHW	4,052.00

*Core not included

Extra Cost Options*	Option Code	Add-On
Weatherized Option (-4°F to +129°F)	W	182.00
Thick Door – Specify Thickness	Thick Door	76.00

Adapter plate conversion chart

Adapter Plate	Von Duprin Exit Device Model #	Von Duprin Trim Model #
VD9	98F, 99F, 9827-F, 9927-F, 9847-F, 9947-F, 9848-F, 9948-F	990 DT, 990 NL, 110 NL, 990 TP, 991 K, 992 L, 696 NL, 697 NL, 696 TP, 697 TP, 996 DT, 997 DT
	PRECISION EXIT DEVICE MODEL #	PRECISION TRIM MODEL #
PH2	FL-1100 or 2100	1700
PH2	FL-1200 or 2200	2000
PH2	FL-1700 or 2700	3900
PH2	FL-1800 or 2800	1700 / 3900
	CORBIN RUSSWIN/YALE EXIT DEVICE MODEL #	CORBIN RUSSWIN/YALE TRIM MODEL #
CY1	ED5200A / 7100F	755, 759 / 526F, 526F
CY1	ED5470B / 7170F90	955, 957 / 626F, 627F
CY1	ED5860B / 7160F90	1310, 1355, 1357 / 535F, 533F, 532F
	SARGENT / ARROW EXIT DEVICE MODEL #	SARGENT / ARROW TRIM MODEL #
SA7	12-8800	ET, 88C-L, 88D-L, 88K-L, 88L-L, FLL, FLW, MAL, PTB
SA8	12-8888	STS
SA9	12-9800	ET, FLL, FLW, MAL, PTB, STS

Description	Part Number	List Price
Magnetic Card and Proximity Card Encoders and enrollment stations		
Track 2 magnetic stripe enrollment reader	OMD-11274	607.00
Tracks 1,2 and 3 magnetic stripe encoder	MSR20633BA	4,245.00
Proximity Card enrollment reader	OMD-11507-002	1,058.00
Magnetic Cards, Proximity Cards, Fobs and Prox Tags		
Track-2 Magnetic-Stripe Card, pre-programmed	OMD-10983-002	30.00
Track-2,3 Magnetic Stripe Card, non-programmed	OMD-10983-001	30.00
Track-2 Default Master ID Card	OMD-10983-003	26.00
Track-3 Magnetic-Stripe Card, pre-programmed	OMD-10983-004	26.00
Track-3 Default Master ID Card	OMD-10983-005	26.00
Cleaning Cards - Box of 50	VDPCLN	210.00
Prox Card II Card, Default Programmer Card	OMD-11879	19.00
Replacement Batteries		
Battery Pack, twin 'AA', Weatherized, set of two battery packs, For Option W only (-20 to +58 degrees Celsius)	OMD-12000	58.00
Weather covers and plates		
Steel Gate Adapter	OMD-12293	170.00
Stainless Steel Flat Adapter Plate for cylindrical locks (1 each)	OMD-12061	86.00
Locknetics Cover Plate (626) covers CM-series cylindrical holes	OMD-11586	35.00

Wireless Non-Best Chassis for OMEM

Electromechanical Locks

Schlage ND Series				RHO	L	List Price 626, 605, 606, 613, 612	List Price KOS	
Series	Function Code	Lever Style	Premium					(Key Over-Ride Sensor)
OMSCH	ND80	ATH – Athens OME – Omega RHO – Rhodes SPA – Sparta	P – Standard Schlage C Keyway uncombined core J – Schlage large format IC handle - NO CORE L – LESS Standard core B – BEST format IC handle - NO CORE	2,695.00				199.00
Non Standard finish add-on							199.00	

Schlage L Series							06	A	L	RH	KOS	List Price 626, 605, 606, 613, 612	List Price KOS
Series	Function Code	Lever Style	Rose	Cylinder Prefix	Door Hand	Options							(Key Over-ride Sensor)
OMSCH	L9070 – Mortise with latch	03 – Tubular 06 – Contour/angle return 07 – Curved/no return 17 – Curved/return	A – 2 1/8" Diameter B – 2 9/16" Diameter	P – Standard Schlage Cylinder C – Keyway uncombined L – LESS cylinder	RH – Right hand LH – Left hand RHR – Right hand reverse LHR – Right hand reverse	KOS – Key override bypass switch by Stanley	2,921.00						87.00
	L9453 – Storeroom Mortise with Deadbolt	03 – Tubular 06 – Contour/angle return 07 – Curved/no return 17 – Curved/return	A – 2 1/8" Diameter B – 2 9/16" Diameter	P – Standard Schlage Cylinder C – Keyway uncombined L – LESS cylinder	RH – Right hand LH – Left hand RHR – Right hand reverse LHR – Right hand reverse	KOS – Key override bypass switch by Stanley	2,921.00						87.00
Non Standard finish add-on							460.00						
MDL - Schlage Mortise Privacy Deadbolt Net Add to L9453							75.00						

Schlage Mortise Cases Only for Omnilock – NO TRIM IS SUPPLIED (3–4 Week Delivery)						List Price	List Price KOS
Part #	Hand	Description					(Key Over-ride Sensor)
L9070S	RH – Right hand	Schlage L9070 Omnilock Style Case without deadbolt – This is the body only, no trim is supplied				3,303.00	87.00
L9453S	RH – Right hand	Schlage L9453 Omnilock Style Case with deadbolt – This is the body only, no trim is supplied				3,303.00	87.00

Description	Part Number	Price
Omnilock Wireless Access Management Software–WAMS	OMS-12418-001	911.00

** Current maximum capacity of Card Holders at any one wireless reader is 14,000 unique ID's

** Systems sizes above 1024 Wireless Readers are supported. Host may require larger hard drive support for effective data base / file management.

** Windows 7 is acceptable for small systems, mid to large systems may require Windows Server 2008

Wireless Components

Description	Part Number	Price
Single Door Controllers		
Single Door Controller sign-on keypad (required to sign-on a SDC)	WQD-WACPAD	556.00
Portal Gateway and Single Door Controller Antennas		
2.4 GHz Interior Ceiling Mount Omni directional Antenna kit*	WQD-ACMO	334.00
2.4 GHz Interior/Exterior Wall mount directional antenna kit*	WQD-AWMD	562.00
2.4GHz Exterior omni directional mast mount kit**	WQD-AEMO	606.00
Backside Antenna Kit	73114285S	246.00

* Antenna Kit include antenna, standard mount and 20' cable to connect to Gateway.

** Antenna Kit includes antenna, wall and post mounts and 20' cable to connect to SDC or PG's

Description	Part Number	Price
Conversion Kit (converts Omnilock non-wireless to wireless)		
Kits consist of Wireless Circuit Board and an RF Transceiver antenna Kit. (non-weatherized)	OMD-12657-01	934.00
Transformer – POE Devices – Modem		
Plug in Transformer (wall-mount) with 6' of cable	OMD-12827	48.00
Power over Ethernet Power Supply/Inserter	OMD-12927-001	159.00
Power over Ethernet Active Splitter with Isolation	OMD-12928-001	154.00

Returned Authorization (RA)

RA REQUESTS: A Return Authorization Form ("RA") must be utilized to return defective products **still under warranty** or products deemed repairable by dormakaba USA Inc. ("dormakaba USA"). All products returned to dormakaba USA must have a correct Return Authorization (RA) number applied to the outside of the shipping carton. All products must be returned within sixty (60) calendar days of RA issue date. This process can take up to seven (7) days after product is received at dormakaba USA's factory. If a defective product presents a security risk, an advance replacement may be requested.

RA PROCESS: Requests for warranty related returns can be initiated by submitting an e-mail to **BAS-rgacreditgrp.us@dormakaba.com**.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- End User Name
- Account Number
- Contact Name
- Phone Number
- Purchaser Order Number
- Sales Order Number
- Item Number
- Item Quantity
- Description of the Problem

1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member.
2. Once a claim number is issued, this number should be noted on all references and communications regarding the applicable situation to ensure a claim is easily identified.
3. Defective product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc.
Attn: Returns Department
6161 East 75th Street
Indianapolis, IN 46250

4. When material is received at dormakaba USA's factory, dormakaba USA will assess and determine the nature of the defect.
6. Defective goods are replaced upon dormakaba USA's determination.
6. Credit for material and freight is issued only if deemed appropriate by dormakaba USA. If approved, credit is initiated and a credit memo is mailed to the Distributor within fifteen (15) business days.

PURCHASE ORDERS:

A Purchase Order (PO) will be required if the Product is:

1. Defective and not under warranty, or
2. An advance replacement is required without verification of whether the product is defective and under warranty.

Please send Purchase Orders to the following:

- Preferred Method e-mail:
BAS-rgacreditgrp.us@dormakaba.com
- Fax: 1-877-835-1030

Keying Request Information Form

CUSTOMER
NUMBER:

**MUST BE SUBMITTED WITH COMPLETE INFORMATION,
INCLUDING P.O. & HARDWARE SCHEDULE**

Quote #: _____ Discount %: _____
If received
P.O. #: _____ Price List: _____

REQUIRED INFORMATION REGARDING dormakaba USA Inc. DISTRIBUTOR

Distributor: _____
Distributor P.O. #: _____
Distributor Account #: _____
Project Manager: _____
Project Manager Mobile: _____ Project Manager E-mail: _____
Address: _____
City, State, Zip: _____
Phone: _____ Fax: _____

REQUIRED INFORMATION REGARDING PROJECT CONTRACTOR

Contractor: _____
Job Name*: _____
Contact Person: _____
Contact Mobile: _____ Contact E-mail: _____

REQUIRED INFORMATION REGARDING THE END USER

Company*: _____
Contact Person*: _____
Contact E-mail: _____ Contact Phone #: _____
School Name (if applicable): _____
School District (if applicable): _____
Permanent Core Due Date*: _____
Building Turnover Date: _____
Project Address*: _____
City, State, Zip*: _____
Phone*: _____ Fax: _____
End User Customer #: _____ Masterkey Account #: _____
Keyway: _____

NOTE: Failure to provide complete and accurate end user information will result in delays in processing and supply of permanent core and key orders.
Failure to include this form with your order and the hardware schedule may result in the order being processed "less core".

*REQUIRED Field

